

1937-1938



# Oil, Gas and Gasoline Stoves Ranges, Heaters and Ovens

Water Heaters, Washing Machines, Refrigerators

Oil Stove Wicks

CATALOGUE No. 47  
1937-1938



**EXCELSIOR STOVE & MFG. COMPANY**  
MANUFACTURERS


NATIONAL STOVES, RANGES, FURNACES AND STOKERS

QUINCY, ILLINOIS, U. S. A.





## National Stoves, Ranges and Heaters



ARTISAN NATIONAL

We manufacture a complete line of National Coal and Wood Burning Cooking Stoves, Ranges and Heaters, as well as Combination Coal, Wood and Gas Burning Combination Ranges in Plain and Enameled Finish.

If interested, write for catalogue

# OIL, GAS AND GASOLINE STOVES RANGES AND HEATERS

REFRIGERATORS, WASHING MACHINES

WATER HEATERS

OIL STOVE WICKS

CATALOGUE No. 47



1937-1938

**EXCELSIOR STOVE & MANUFACTURING CO.**

MANUFACTURERS

NATIONAL STOVES, RANGES, FURNACES AND STOKERS



QUINCY, ILLINOIS

BRANCHES:

St. Paul, Minn.

Oklahoma City, Okla.

Paris, Texas




# New NESCO SUPER-DE LUXE

## K E R O S E N E R A N G E S A N D S T O V E S




NESCO Super-DeLuxe Ranges and Stoves embody mechanical perfection, modern styling, outstanding cooking efficiency and the utmost in operating economy.

They are the result of years of studying the baking and cooking requirements and preferences of housewives the world over.



The No. 365 Super-DeLuxe NESCO is offered in two smart color combinations . . . in white and black as illustrated at the left, and ivory and green as illustrated at the right.



### SUPER-DE LUXE 5-BURNER RANGE

Nos.	Height Overall	Length Overall	Depth of Stove Top	Weight Crated	Price
3650R-WB	52"	52 1/4"	17 3/8"	205 lbs.	\$80.22
3650L-WB	52"	52 1/4"	17 3/8"	205 lbs.	80.22
365R-IG	52"	52 1/4"	17 3/8"	201 lbs.	70.07
365R-WB	52"	52 1/4"	17 3/8"	201 lbs.	70.78
365L-WB	52"	52 1/4"	17 3/8"	201 lbs.	70.78

(3650—All-white all-porcelain enamel. R—Right Hand Oven. L—Left Hand Oven. WB—White and Black. IG—Ivory and Green.)

Inside Oven dimensions 12" x 16 1/2" x 16"; porcelain lined and fully insulated; accurate, easily read Oven Heat Indicator. Two Dubl-Hot Burners under oven; one Dubl-Hot Burner (staggered) and two Standard High Speed Burners for top stove cooking; concealed, unbreakable Fuel Tank on end opposite oven; the new ventilated Cabinet and genuine NESCO Wicks; built-in Spirit Level.

#### COLORS AND FINISHES — IG MODELS

##### PORCELAIN ENAMEL

*Ivory*—Oven Heat Indicator; Oven Door; Oven Top; Oven Inner and Outer Sides; Splash Back; Mantel Shelf.  
*Green*—Brilliant Green Chimney Drums; Oven Front.  
*Speckled Blue*—Oven Lining.

##### JAPANNED

*Ivory*—Dial Panels; Burner Doors.  
*Green*—Stove Sides; Shelf Sides; Mantel Top; Legs; Indicator Handles; Oven Supports; (Bakelite Pendant Door Handles).  
*Black*—Tank Cover; Oven Back; Top Finishing Strip; Tray; Leveling Screws; Base Frame; Top Frame; Stove Back; Grates.

#### COLORS AND FINISHES — WB MODELS

##### PORCELAIN ENAMEL

*White*—Oven Heat Indicator; Oven Door; Oven Top; Oven Inner and Outer Sides; Splash Back; Mantel Shelf; Oven Front.  
*Black*—Chimney Drums.  
*Speckled Blue*—Oven Lining.

##### JAPANNED

*White*—Stove Back; Dial Panels; Burner Doors; Stove Sides; Mantel Top; Legs; Oven Support.  
*Black*—Shelf Sides; (Bakelite Pendant Door Handles); Indicator Handles; Grates; Leveling Screws; Oven Back; Top Frame; Finishing Strip; Tank Cover and Tray.



Complete Cooking Satisfaction Guaranteed

Only When Genuine Nesco Wicks Are Used



# NEW ALL-PORCELAIN ENAMEL ALL-WHITE MODEL

No. 3650. Pictured at the left is the NESCO style and quality leader for 1937 — finished throughout in the genuine NESCO porcelain enamel that is known everywhere for its durability. The pure white beauty of this range fits in perfectly with the modern idea of kitchen styling. Even more important, every inch of the surface is as easy to clean as a china plate!

Resulting from a prolonged survey of the cooking preferences of housewives themselves, the many other modern NESCO Super DeLuxe efficiency features *sell* stoves! See Page 7.

## SUPER-DE LUXE 5-BURNER RANGE

No.	Height Overall	Length Overall	Depth of Stove Top	Weight Crated	Price
355R	52"	52 $\frac{1}{4}$ "	17 $\frac{3}{4}$ "	192 lbs.	\$57.47

Right Hand Oven.

Inside Oven Dimensions 12" x 16 $\frac{1}{2}$ " x 16"; burnished steel Oven Lining; two\* Dubl-Hot Burners under oven, one Dubl-Hot Burner (staggered) and two Standard High Speed Burners for top stove cooking. New ventilated Cabinet. Genuine NESCO Wicks. Built-in Spirit Level. Concealed, unbreakable Fuel Tank.

### COLORS AND FINISHES

#### PORCELAIN ENAMEL

Ivory—Oven Heat Indicator; Oven Door; Inner Oven Side; Splash Back.  
Green—Brilliant Green Chimney Drums.

#### JAPANNED

Ivory—Dial Panel; Burner Door.  
Green—Stove Sides; Shelf Sides; Mantel Top; Legs; Indicator Handles; Oven Supports; (Bakelite Pendant Door Handles).  
Black—Mantel Shelf; Outer Oven Side; Top Finishing Strip; Grates; Tank Cover; Stove Back; Oven Front; Oven Top; Oven Back; Leveling Screws; Tray; Base and Top Frame.



## SUPER-DE LUXE 3-BURNER STOVE

No.	Height Overall	Length Overall	Depth of Stove Top	Weight Crated	Price
323-33	47"	39"	17 $\frac{3}{4}$ "	100 lbs.	\$28.98
323—Stove Only	32"	39"	17 $\frac{3}{4}$ "	85 lbs.	24.69
33—High Shelf Only	15"	39"	4"	15 lbs.	4.28

Three Burners—one Dubl-Hot and two Standard High Speed. Concealed unbreakable Fuel Tank. New ventilated Cabinet. Genuine NESCO Wicks. Built-in Spirit Level.

### COLORS AND FINISHES

#### PORCELAIN ENAMEL

Green—Brilliant Green Chimney Drums.

#### JAPANNED

Ivory—Splash Back; Dial Panel; Burner Door.  
Green—Shelf Sides; Legs; Indicator Handles; Stove Sides; (Bakelite Pendant Door Handles).  
Black—Grates; Mantel Shelf; Leveling Screws; Tray; Base Frame; Stove Back Stove Top; Tank Cover.



## SUPER-DE LUXE 2-BURNER STOVE

Nos.	Height Overall	Length Overall	Depth of Stove Top	Weight Crated	Price
322-32	47"	29"	17 $\frac{3}{4}$ "	81 lbs.	\$25.18
322—Stove Only	32"	29"	17 $\frac{3}{4}$ "	69 lbs.	21.37
32—High Shelf Only	15"	29"	4"	12 lbs.	3.80

One Dubl-Hot Burner and one Standard High Speed Burner. Concealed unbreakable Fuel Tank. Genuine NESCO Wicks. New ventilated Cabinet. Built-in Spirit Level.

### COLORS AND FINISHES

#### PORCELAIN ENAMEL

Green—Brilliant Green Chimney Drums.

#### JAPANNED

Ivory—Splash Back; Dial Panel; Burner Door.  
Green—Shelf Sides; Legs; Indicator Handles; Stove Sides; (Bakelite Pendant Door Handles).  
Black—Grates; Base Frame; Mantel Shelf; Leveling Screws; Tray; Stove Back; Stove Top; Tank Cover.






# NESCO DE-LUXE

★  
KEROSENE  
RANGES AND  
STOVES

★



## DE LUXE 5-BURNER RANGE


Nos.	Height Overall	Length Overall	Depth of Stove Top	Weight Crated	Price
750R-IG	51 $\frac{1}{4}$ "	54 $\frac{1}{4}$ "	17 $\frac{1}{2}$ "	185 lbs.	\$56.96
750L-IG	51 $\frac{1}{4}$ "	54 $\frac{1}{4}$ "	17 $\frac{1}{2}$ "	185 lbs.	56.96
750R-WB	51 $\frac{1}{4}$ "	54 $\frac{1}{4}$ "	17 $\frac{1}{2}$ "	185 lbs.	59.38
750L-WB	51 $\frac{1}{4}$ "	54 $\frac{1}{4}$ "	17 $\frac{1}{2}$ "	185 lbs.	59.38
7500R-WB	51 $\frac{1}{4}$ "	54 $\frac{1}{4}$ "	17 $\frac{1}{2}$ "	188 lbs.	60.33

(IG—Ivory and Green; WB—White and Black.)


No. 750—Right or Left Hand Oven as ordered (750R or 750L). Oven lining Burnished Steel. Inside dimensions 12" x 16 $\frac{1}{2}$ " x 16", fully insulated. Two Dubl-Hot Burners under oven. One Dubl-Hot Burner (staggered) and two Standard High Speed Burners for top stove cooking.

No. 7500—Right Hand Oven. Oven lining Blue Porcelain. Inside dimensions 12" x 16 $\frac{1}{2}$ " x 16", fully insulated. Two Standard High Speed Burners under oven. One Dubl-Hot (staggered) and two Standard High Speed Burners for top stove cooking.

New style Dial Panel and Handles. New modernistic Legs, same as on Super-DeLux Series. Built-in Spirit Level.



In the DeLux Series, the No. 750 is made in two attractive color combinations . . . white and black as illustrated at the left, and ivory and green as illustrated at the right.



## COLORS AND FINISHES IG MODELS

### PORCELAIN ENAMEL

*Ivory*—Oven Door; Oven Inner Side and Top; Splash Back; Mantel Shelf; Oven Heat Indicator.

*Green*—Top Finishing Strip; Chimney Drums; Oven Front.

*Black*—Tank Cover.

### JAPPANED

*Ivory*—Stove Back; Dial Panel.

*Green*—Stove Sides; Shelf Sides; Mantel Top; Legs; Indicator Handles; Tray; Sub-Tank; Fuel Pipe to stove side; (Bakelite Pendant Door Handles).

*Black*—Outer Oven Side; Leveling Screws; Grates; Oven Back; Top Frame.

## COLORS AND FINISHES WB MODELS

### PORCELAIN

*White*—Oven Heat Indicator; Oven Door; Oven Top; Oven Inner and Outer Side; Splash Back; Mantel Shelf; Oven Front.

*Black*—Chimney Drums; Tank Cover.

*Speckled Blue*—Oven Lining.

### JAPPANED

*White*—Stove Back; Dial Panels; Stove Sides; Mantel Top; Legs; Tray.

*Black*—Shelf Sides; Indicator Handles; Grates; Leveling Screws; Oven Back; Top Frame; (Bakelite Pendant Door Handles); Top Finishing Strip; Sub-Tank; Fuel Pipe to stove side.



# A SIZE FOR EVERY COOKING NEED <sup>5</sup> MODERN EFFICIENCY IN EVERY SIZE

## DE LUXE 5-BURNER RANGE

No.	Height Overall	Length Overall	Depth of Stove Top	Weight Crated	Price
150R	51 1/4"	54 1/4"	17 1/2"	177 lbs.	\$47.46

Right Hand Oven. Burnished Steel Oven Lining. Fuel Tank on end opposite oven. Auxiliary Baffle Plate under oven. Removable Shelf over fuel tank. Inside Oven Dimensions 12" x 16 1/2" x 16". Genuine NESCO Wicks. Five Standard High Speed Burners—two under oven and three for top stove cooking. New style Dial Panel and Handles. New straight line Legs. Built-in Spirit Level.

### COLORS AND FINISHES

#### PORCELAIN ENAMELED

Ivory—Oven Door; Inner Oven Side; Splash Back; Oven Heat Indicator.  
Green—Chimney Drums.

#### JAPANNED

Ivory—Stove Back; Dial Panel.  
Green—Mantel Top; Shelf Sides; Indicator Handles; Stove Sides; Legs; Tray; Sub-Tank; Fuel Pipe to stove side; (Bakelite Pendant Door Handles).  
Black—Mantel Shelf; Oven Front; Oven Top; Oven Back; Leveling Screws; Grates; Outer Oven Sides; Finishing Strip; Top Frame; Tank Cover.

## DE LUXE 4-BURNER STOVE

Nos.	Height Overall	Length Overall	Depth Overall	Weight Crated	Price
214-1104	53"	53 1/4"	17 1/2"	105 lbs.	\$29.22
214—Stove Only	29 1/2"	53 1/4"	17 1/2"	81 lbs.	24.47
1104—High Shelf Only	23 1/2"	44 1/2"	8 3/4"	24 lbs.	4.76

Fuel Tank on right end. One Dubl-Hot and three Standard High Speed Burners. Genuine NESCO Wicks. New style Dial Panel and Handles. New straight line Legs. Built-in Spirit Level. Zinc Plated Grates.

### COLORS AND FINISHES

PORCELAIN—Green—Chimney Drums.

#### JAPANNED

Ivory—Mantel Shelf; Shelf Sides; Dial Panel.  
Green—Splash Back; Stove Sides; Stove Back; Legs; Tray; Indicator Handles; Sub-Tank; Fuel Pipe to stove side.  
Black—Stove Top; Tank Cover; Leveling Screws.

## DE LUXE 3-BURNER STOVE

Nos.	Height Overall	Length Overall	Depth Overall	Weight Crated	Price
213-1103	53"	43 1/4"	17 1/2"	89 lbs.	\$24.47
213—Stove Only	29 1/2"	43 1/4"	17 1/2"	69 lbs.	20.19
1103—High Shelf Only	23 1/2"	34 1/2"	8 3/4"	20 lbs.	4.28

One Dubl-Hot and two Standard High Speed Burners. Removable Shelf over fuel tank on right end. Genuine NESCO Wicks. Built-in Spirit Level. New style Dial Panel and Handles. New straight line Legs. Zinc Plated Grates.

Colors and Finishes same as No. 214 above.

## DE LUXE 2-BURNER STOVE

Nos.	Height Overall	Length Overall	Depth Overall	Weight Crated	Price
212-1102	53"	33 1/8"	17 1/2"	74 lbs.	\$19.95
212—Stove Only	29 1/2"	33 1/8"	17 1/2"	57 lbs.	16.16
1102—High Shelf Only	23 1/2"	24 1/2"	8 3/4"	17 lbs.	3.80

One Dubl-Hot and one Standard High Speed Burner. Removable Shelf over fuel tank on right end. Genuine NESCO Wicks. New style Dial Panel and Handles. New straight line Legs. Built-in Spirit Level. Zinc Plated Grates.

Colors and Finishes same as No. 214 above.

Precise, direct knowledge of women's own ideas of cooking efficiency, backed by sustained quantity production, has enabled NESCO to put into DeLuxe construction many practical advantages usually to be found only in the highest price brackets. The combination of moderate price and modern efficiency has made the NESCO DeLuxe series an important sales asset to many dealers. See Page 7 for features.

**COMPLETE COOKING SATISFACTION GUARANTEED  
ONLY WHEN GENUINE NESCO WICKS ARE USED**



# NESCO TROPICAL

## KEROSENE RANGES AND STOVES

### TROPICAL 5-BURNER RANGE

No. ....015  
Height Overall, inches.....48½  
Length Overall, inches.....54½  
Depth of Stove Top, inches.....17½  
Weight, lbs. (crated).....167  
Price.....\$41.32

### TROPICAL 4-BURNER RANGE

No. ....014  
Height Overall, inches.....48½  
Length Overall, inches.....52½  
Depth of Stove Top, inches.....17½  
Weight, lbs. (crated).....148  
Price.....\$36.59

Right Hand Oven only; inside Oven dimensions 12" x 16½" x 16". Genuine NESCO Wicks.



### COLORS AND FINISHES

#### PORCELAIN ENAMEL

*Ivory*—Oven Heat Indicator.

*Green*—Oven Door; Brilliant Green Chimney Drums.


#### JAPANNED

*Ivory*—Dial Panel; Tray.

*Green*—Stove Sides; Legs; Splash Back; Stove Back; (Bakelite Oven Door Pendant Handles).

*Aluminum Bronze*—Oven Lining.

*Black*—Oven Front; Inner and Outer Oven Sides; Oven Top; Leveling Screws; Indicator Handles; Oven Back; Top Finishing Strip; Stove Top; Tank Cover.

COMPLETE COOKING SATISFACTION GUARANTEED  ONLY WHEN GENUINE NESCO WICKS ARE USED



### TROPICAL 4-BURNER STOVE

Nos.	Height Overall	Length Overall	Depth Overall	Weight Crated	Price
114-041	48"	53¼"	17½"	97 lbs.	\$23.52
114—Stove Only	31"	53¼"	17½"	79 lbs.	20.18
041—High Shelf	17"	44¼"	5½"	18 lbs.	3.33

Four Standard High Speed Burners. Fuel Tank on right end. Removable Shelf over Fuel Tank. Genuine NESCO Wicks.

### COLORS AND FINISHES

#### PORCELAIN

*Brilliant Green*—Chimney Drums.

#### JAPANNED

*Ivory*—Splash Back; Shelf Sides; Stove Sides; Legs.

*Green*—Mantel Top and Shelf; Dial Panel; Indicator Handles; Tray.

*Black*—Tank Cover; Leveling Screws; Stove Top; Stove Back.

### TROPICAL 3-BURNER STOVE

Nos.	Height Overall	Length Overall	Depth Overall	Weight Crated	Price
113-031	48"	43¼"	17½"	80 lbs.	\$19.49
113—Stove Only	31"	43¼"	17½"	66 lbs.	16.88
031—High Shelf	17"	34¼"	5½"	14 lbs.	2.63

Three Standard NESCO High Speed Burners. Fuel Tank at right end. Removable Shelf over Fuel Tank. Genuine NESCO Wicks.

### COLORS AND FINISHES

#### PORCELAIN

*Brilliant Green*—Chimney Drums.

#### JAPANNED

*Ivory*—Splash Back; Shelf Sides; Stove Sides; Legs.

*Green*—Mantel Top and Shelf; Dial Panel; Indicator Handles; Tray.

*Black*—Tank Cover; Leveling Screws; Stove Top; Stove Back.

### TROPICAL 2-BURNER STOVE

Nos.	Height Overall	Length Overall	Depth Overall	Weight Crated	Price
112-021	48"	33¼"	17½"	66 lbs.	\$16.16
112—Stove Only	31"	33¼"	17½"	55 lbs.	13.79
021—High Shelf	17"	24¼"	5½"	11 lbs.	2.37

Two Standard High Speed Burners. Fuel Tank on right end. Removable Shelf over Fuel Tank. Genuine NESCO Wicks.

### COLORS AND FINISHES

#### PORCELAIN

*Brilliant Green*—Chimney Drum.

#### JAPANNED

*Ivory*—Splash Back; Shelf Sides; Stove Sides; Legs.

*Green*—Mantel Top and Shelf; Dial Panel; Indicator Handles; Tray.

*Black*—Tank Cover; Leveling Screws; Stove Top; Stove Back.





# Exclusive NESCO Features

7

## Super-DeLuxe Features

- 1 **CONCEALED TANK**—Enclosed tank within the cabinet is non-breakable—made of rust-resisting Terne plate.
- 2 **COVER OVER TANK**—The Super-DeLuxe adds convenient working space where it can be most used.
- 3 **INSULATED OVEN**—Full, heavy insulation keeps temperature constant and easy to control.



## Super-DeLuxe Features

- 4 **BURNER TRAY**—A convenient, easily cleaned tray catches drippings, char, matches, etc.
- 5 **EASY TO LIGHT**—Large, roomy handle and easy tilting burner bowl makes it easy to light.
- 6 **CABINET VENTILATION**—A series of ventilators assures a thorough circulation of air through the cabinet.

## DE LUXE and TROPICAL Features

### QUICKER COOKING

Direct contact with entire bottom surface of utensil.  
Cleaner, steadier, hotter blue-gas flame.  
Burner construction assures maximum heat at grate level.  
NESCO Dubl-Hot and Standard High Speed Burners.  
Even and scientific heat distribution in oven and surface cooking.

### CONVENIENCE

Large, roomy handles on burner bowl . . . easy to light.  
Construction of burner and 4 to 1 Ratio in burner control makes it a simple matter to maintain a uniform heat of whatever intensity is desired for either baking or top stove cooking.  
All mechanical parts are easily accessible for cleaning and servicing.  
There are sizes and types for all requirements. The long life NESCO Wicks require a minimum of attention.

### FUEL ECONOMY

Perfect mixture of air and kerosene vapor gives maximum heat with minimum fuel consumption.  
Direct contact of flame to utensil at hottest point saves fuel.  
Scientific burner construction directs all heat upward . . . no loss or waste.  
Positive flame control reduces fuel consumption to minimum amount for heat required.  
Absence of "creeping" tendency eliminates excess burning.

### PRICE

NESCO Kerosene Ranges and Stoves offer the greatest Dollar for Dollar value in:

- a. All around efficiency, economy and convenience.
- b. Honest, sturdy construction, insuring a long, useful life.
- c. Beauty and harmony of color, design and finish, conforming with the modern trend in kitchens.





## KEROGAS OIL RANGES

### No. 480 KEROGAS OIL RANGE

#### Five Burners

Cooking Height.....	36 in.	Top Surface.....	40 $\frac{1}{4}$ x22 $\frac{1}{4}$ in.
Extreme Height.....	41 $\frac{1}{2}$ in.	Oven Size.....	16x13x20 in.
Floor Space.....	43x31 in.	Shipping Weight.....	215 lbs.
Price.....	\$81.75		

Porcelain enameled table-top oil range with insulated oven, porcelain enameled oven linings, metal fuel tank in rear. Finished in Ivory or White. Three burners under cooking top, two under oven concealed in upper left and lower right compartments. Storage compartment lower left. Oven thermometer. Specify color desired.



No. 477—KEROGAS OIL RANGE—Patented

### No. 477 KEROGAS OIL RANGE

#### Five Burners—Auxiliary Cooking Top

Cooking Height.....	33 in.	Cooking Top.....	30 $\frac{3}{4}$ x21 $\frac{1}{2}$ in.
Extreme Height.....	49 $\frac{1}{2}$ in.	Oven Size.....	16x12x20 in.
Floor Space.....	49 $\frac{1}{2}$ x24 $\frac{1}{2}$ in.	Shipping Weight.....	224 lbs.
Price.....	\$76.50		

With enclosed front and concealed tank. Front door drops for easy access to oven and cooking burners. Hinged door to concealed fuel tank compartment. Cast iron legs. Auxiliary cooking top with one cast iron sectional lid. Insulated oven—porcelain enameled oven linings. Oven door thermometer. Oven door, oven top, splasher, shelf, inner and outer body side, lower body side, front, front door and legs white porcelain enamel. Key plates black porcelain enamel.



No. 480—IVORY KEROGAS OIL RANGE

### No. 476 KEROGAS OIL RANGE

(Illustrated below)

Same specifications and dimensions as No. 477 but oven door, oven top, splasher, shelf, inner and outer body side ivory porcelain enameled.

Price.....\$72.75



No. 476—KEROGAS OIL RANGE—Patented



## KEROGAS OIL RANGES



No. 475—KEROGAS OIL RANGE—Patented

### No. 474 KEROGAS OIL RANGE

Five Burners—Auxiliary Cooking Top

Cooking Height.....	32 in.	Cooking Top.....	30 $\frac{3}{4}$ x21 $\frac{1}{2}$ in.
Extreme Height.....	47 $\frac{1}{2}$ in.	Oven Size.....	16x12x20 in.
Floor Space.....	50x25 $\frac{1}{2}$ in.	Shipping Weight.....	176 lbs.
Price.....	\$52.12		

Concealed fuel tank. Auxiliary cooking top with one cast iron sectional lid. Finished in ivory and black. Porcelain enameled oven door and oven side splashers. Aluminized oven interior. Oven thermometer. Green porcelain enameled burner drums.



No. 473—KEROGAS OIL RANGE—Patented

### No. 475 KEROGAS OIL RANGE

Five Burners—Auxiliary Cooking Top

Cooking Height.....	33 in.	Cooking Top.....	30 $\frac{3}{4}$ x21 $\frac{1}{2}$ in.
Extreme Height.....	49 $\frac{1}{2}$ in.	Oven Size.....	16x12x20 in.
Floor Space.....	49 $\frac{1}{2}$ x24 $\frac{1}{2}$ in.	Shipping Weight.....	210 lbs.
Price.....	\$61.87		

Drop front door for easy access to burners. Concealed fuel tank. Auxiliary cooking top with one cast iron sectional lid. Ivory porcelain enameled oven door, side and back splashers. Aluminized oven interior. Oven thermometer. Cast iron legs.



No. 474—KEROGAS OIL RANGE—Patented

### No. 473 KEROGAS OIL RANGE

Five Burners—Straight Cooking Top

Cooking Height.....	32 in.	Cooking Top.....	31x19 $\frac{1}{4}$ in.
Extreme Height.....	47 $\frac{1}{2}$ in.	Oven Size.....	16x12x18 $\frac{1}{2}$ in.
Floor Space.....	51x22 in.	Shipping Weight.....	162 lbs.
Price.....	\$48.37		

Concealed fuel tank, straight cooking top. Finished in ivory and black. Porcelain enameled oven door, aluminized oven interior. Oven thermometer. Green porcelain enameled burner drums.



## KEROGAS OIL STOVES




No. 443—KEROGAS OIL STOVE—with No. 3-I High Shelf—Patented

Advanced design—added capacity  
without added fuel use!

### No. 443 KEROGAS OIL STOVE

Enclosed front auxiliary top cook stove with regular Kerogas burners. The front door drops to a horizontal position to allow free access to all burners. Concealed oil tank. A hinged door at the side opens to allow the tank to swing out for filling.



Auxiliary Cooking Top

Surplus heat is carried back to the fireless cooking holes in the rear.

The auxiliary top provides one direct and one auxiliary hole for each burner. One cast iron sectional lid is supplied with each stove. Cooking height 32½ in.

No.	Burners	Top	Shipping Weight	Price Less High Shelf
443	3	33¾x21¼ in.	97 lbs.	\$27.00
444	4	42½x21¼ in.	115 lbs.	32.25

#### High Shelves

No.	For	Shipping Weight	Price
3-I	3 burner	12 lbs.	\$3.37
4-I	4 burner	14 lbs.	3.82



No. 450—KEROGAS OIL STOVE

### No. 450 KEROGAS OIL STOVE

#### Three Burners

Cooking Height.....	35 in.
Extreme Height.....	41½ in.
Floor Space.....	35x23 in.
Top Surface.....	35x17½ in.
Shipping Weight.....	90 lbs.
Price.....	\$25.12

Attractive three burner cabinet type stove finished in ivory with green porcelain enameled burner drums. Metal fuel tank in rear. Lower compartment with two swinging doors. Furnished with splasher as shown.

The Kerogas stove is more than just an oil stove—  
it's really a gas stove using oil as fuel.



# KEROGAS OIL STOVES



**No. 437 KEROGAS OIL STOVE**  
With No. 3-I High Shelf

Heavy steel body. Attractively finished in ivory with black top and lower shelf. Green porcelain enameled burner drums. Cooking height 31½ in. End shelf 8½ in.

No.	Burners	Top	Shipping Weight	Price Less High Shelf
427	2	25½x17½ in.	51 lbs.	\$15.52
437	3	35 x17½ in.	60 lbs.	20.02
447	4	43½x17½ in.	72 lbs.	24.75

## High Shelves

No.	For	Shipping Weight	Price
2-I	2 burner	10 lbs.	\$2.92
3-I	3 burner	12 lbs.	3.37
4-I	4 burner	14 lbs.	3.82

## No. 119B KEROGAS CAMP STOVE




Height.....	13½ in.
Diameter.....	10½ in.
Shipping Weight.....	10 lbs.
Price.....	\$6.30

Ideal for campers, tourists and for many other uses where a small portable stove is desirable. Equipped with Kerogas burner.

The circular body extending above the top grates prevents false drafts or wind from interfering with the flame and assures steady heat. Durably constructed of steel with staunch legs. Black japan finish. Handle for carrying. The brass fount holds approximately 1¾ quarts of oil.

## Genuine Brass Burners— Seamless and Rustproof

The most important part of an oil stove is the burners. The Patented Kerogas Burners are of genuine brass, body drawn out of one solid piece. No seams . . . no rusting. It's this burner that for years has proved its efficiency in actual daily use. It burns 400 gallons of air with every gallon of kerosene . . . that's real economy.




## Patented Kerogas Burner

Highly economical. Made of brass. No complicated parts. Generates gas from the oil. Intense blue flame, free from soot or odor.

## Scientifically Constructed Drum

Mixes the proper amount of air with the gas generated in the burner. Direct heat right where it's wanted, no heat wasted.




## Wick Raising Device

Has two cog wheels with three points of support for the stem. It grips the wick carrier at all times, insuring perfect operation and free adjustment of wick.

Wick Regulator permits setting so that the flame can at all times be regulated with the control handle. Makes the stove as easy to operate as a gas range. Saves dollars in wicks and oil.

## Top Grates

The extra large square top grates utilize the full heating capacity of the burners. Permits the use of two utensils over one burner, three or four over two.



## Kerogas Blue Stripe Wicks

Made right where the stoves are built. Have one-piece seamless metal carriers. Uniform in size—operate perfectly. Charred to insure an even flame right from the start. To distinguish the genuine, two blue stripes are woven into each wick.



## PREMIER KEROGAS OIL RANGES



**No. 375 PREMIER KEROGAS OIL RANGE**  
Patented

**Long Chimney**

**Five Burners—Auxiliary Cooking Top**

Cooking Height.....	33 in.	Floor Space.....	49½x24½ in.
Extreme Height.....	49½ in.	Oven Size.....	16x12x20 in.
Cooking Top.....	30¾x21½ in.	Shipping Weight.....	210 lbs.
Price.....		\$61.87	

Drop front door for easy access to burners. Concealed fuel tank, auxiliary cooking top, one cast iron sectional lid. Ivory porcelain enameled oven door, side and back splash. Aluminized oven interior. Oven thermometer. Cast iron legs.



**No. 374 PREMIER KEROGAS OIL RANGE**  
Patented

**Long Chimney**

**Five Burners—Auxiliary Cooking Top**

Cooking Height.....	32 in.	Cooking Top.....	30¾x21½ in.
Extreme Height.....	47½ in.	Oven Size.....	16x12x20 in.
Floor Space.....	50x25½ in.	Shipping Weight.....	176 lbs.
Price.....		\$52.12	

Concealed fuel tank, auxiliary cooking top, one cast iron sectional lid. Finished in ivory and black. Porcelain enameled oven door and oven side splash. Aluminized oven interior. Oven thermometer. Porcelain enameled burner drums.



**No. 373 PREMIER KEROGAS OIL RANGE**  
Patented

**Long Chimney**

**Five Burners**

**Straight Cooking Top**

Cooking Height.....	32 in.	Cooking Top.....	31x19¼ in.
Extreme Height.....	47½ in.	Oven Size.....	16x12x18½ in.
Floor Space.....	51x22 in.	Shipping Weight.....	162 lbs.
Price.....		\$48.37	

Concealed fuel tank, straight cooking top, finished in ivory and black. Porcelain enameled oven door, aluminized oven interior. Oven thermometer. Green porcelain enameled burner drums.



**No. 371 PREMIER KEROGAS OIL RANGE**  
Patented

**Long Chimney**

**Five Burners**

**Straight Cooking Top**

Cooking Height.....	32 in.	Cooking Top.....	31¼x16½ in.
Extreme Height.....	49½ in.	Oven Size.....	17½x12x15½ in.
Floor Space.....	60½x17¼ in.	Shipping Weight.....	120 lbs.
Price.....		\$34.50	

These ranges have ivory finished splash back and body sides. Oven door panel is green porcelain enameled and fitted with thermometer. Aluminized oven interior. Convenient lower shelf. Glass oil fount. End shelf. Leg levelers. Burner drums are porcelain enameled.

**No. 370—Four Burners—Straight Cooking Top—Cooking Height 32 in., Extreme Height 49½ in., Floor Space 51x17¼ in., Cooking Top 21½x16½ in., Oven 17½x12x15½ in., Shipping Weight 114 lbs. Price.....\$31.27**



# PREMIER KEROGAS OIL STOVES



## No. 337 PREMIER KEROGAS OIL STOVE

With No. 3-I High Shelf

The Premier one piece, brass burner is seamless and rustproof. Provides clean, intense heat with very low fuel consumption because it makes its own gas from kerosene oil. Burns with a steady "blue gas" flame that is its own proof of perfect combustion.



## No. 350 PREMIER KEROGAS OIL STOVE

Long Chimney

Cooking Height.....35 in.  
Extreme Height.....41½ in.  
Floor Space.....35x23 in.  
Top Surface.....35x17½ in.  
Shipping Weight.....90 lbs.  
Price.....\$25.12

Attractive three burner cabinet type stove finished in ivory with green porcelain enameled burner drums. Metal fuel tank in rear. Lower compartment with two swinging doors. Furnished with splasher as shown.

## No. 377 PREMIER KEROGAS OIL RANGE

Patented

Long Chimney

Five Burners—Auxiliary Cooking Top

Cooking Height.....33 in.      Cooking Top.....30¾x21½ in.  
Extreme Height.....49½ in.      Oven Size.....16x12x20 in.  
Floor Space.....49½x24½ in.      Shipping Weight.....224 lbs.  
Price.....\$76.50

With enclosed front and concealed tank. Front door drops for easy access to oven and cooking burners. Hinged door to concealed fuel tank compartment. Cast iron legs. Auxiliary cooking top—one cast iron sectional lid. Insulated oven—porcelain enameled oven linings. Oven door thermometer. Oven door, oven top, splasher, shelf, inner and outer body side, lower body side, front, front door and legs white porcelain enamel. Key plates black porcelain enamel.

No. 376—Same dimensions and specifications as No. 377 but oven door, oven top, splasher, shelf, inner and outer body side ivory porcelain enameled.

Price.....\$72.75



## PREMIER KEROGAS OIL STOVES

Long Chimney

Finished in ivory with black cooking top and lower shelf. Burner drums porcelain enameled. Cooking Height, 31½ in. End shelf 8½ inches.

No.	Burners	Top	Shipping Weight	Price Less High Shelf
327	2	25½x17½ in.	49 lbs.	\$15.52
337	3	35 x17½ in.	59 lbs.	20.02
347	4	43½x17½ in.	69 lbs.	24.75

High Shelves

No.	For	Shipping Weight	Price
2-I	2 burner	10 lbs.	\$2.92
3-I	3 burner	12 lbs.	3.37
4-I	4 burner	14 lbs.	3.82



## EVERITE KEROGAS OIL RANGES



No. 580—WHITE EVERITE KEROGAS OIL RANGE

### No. 577 EVERITE KEROGAS OIL RANGE

Wickless

Five Burners—Auxiliary Cooking Top

Cooking Height.....	33 in.	Cooking Top.....	30 $\frac{3}{4}$ x 21 $\frac{1}{2}$ in.
Extreme Height.....	49 $\frac{1}{2}$ in.	Oven Size.....	16x12x20 in.
Floor Space.....	49 $\frac{1}{2}$ x 24 $\frac{1}{2}$ in.	Shipping Weight.....	214 lbs.
Price.....	\$70.50		

Cast iron legs. Auxiliary cooking top. Insulated oven with porcelain enameled linings. Oven door, oven top, splashers, shelf, inner and outer body side, lower body side, front, front door and legs white porcelain, key plates black porcelain enameled.



No. 576—EVERITE KEROGAS OIL RANGE—Patented

### No. 580 EVERITE KEROGAS OIL RANGE

Five Wickless Burners

Cooking Height.....	36 in.	Top Surface.....	40 $\frac{1}{2}$ x 22 $\frac{1}{2}$ in.
Extreme Height.....	41 $\frac{1}{2}$ in.	Oven Size.....	16x13x20 in.
Floor Space.....	43x31 in.	Shipping Weight.....	215 lbs.
Price.....	\$79.50		

Porcelain enameled table-top oil range with insulated oven, porcelain enameled oven linings, metal fuel tank in rear. Finished in white or ivory. Three burners under cooking top, two under oven concealed in upper left and lower right compartment. Storage compartment lower left. Oven thermometer. Specify color desired.



No. 577—EVERITE KEROGAS OIL RANGE—Patented

### No. 576 EVERITE KEROGAS OIL RANGE

Wickless

Five Burners—Auxiliary Cooking Top

Cooking Height.....	33 in.	Cooking Top.....	30 $\frac{3}{4}$ x 21 $\frac{1}{2}$ in.
Extreme Height.....	49 $\frac{1}{2}$ in.	Oven Size.....	16x12x20 in.
Floor Space.....	49 $\frac{1}{2}$ x 24 $\frac{1}{2}$ in.	Shipping Weight.....	214 lbs.
Price.....	\$66.75		

Front door drops for easy access to oven and cooking burners. Hinged door to concealed fuel tank compartment. Cast iron legs. Auxiliary cooking top—one cast iron sectional lid. Insulated oven with porcelain enameled linings. Oven door thermometer. Leg levelers. Oven door, oven top, splashers, shelf, inner and outer body side ivory porcelain enamel. Key plates black porcelain enamel.



## EVERITE KEROGAS OIL RANGES

### No. 575 EVERITE KEROGAS OIL RANGE

Wickless

Five Burners—Auxiliary Cooking Top

Cooking Height.....	33 in.
Extreme Height.....	49½ in.
Floor Space.....	49½x24½ in.
Cooking Top.....	30¾x21½ in.
Oven Size.....	16x12x20 in.
Shipping Weight.....	200 lbs.
Price.....	\$56.25

Drop front door for easy access to burners. Concealed fuel tank. Auxiliary cooking top with one cast iron sectional lid. Ivory porcelain enameled oven door, side and back splasher. Aluminized oven interior. Oven thermometer. Cast iron legs.



No. 575—EVERITE KEROGAS OIL RANGE—Patented

Auxiliary Cooking Top—enables one burner to do the work of two. Surplus heat is carried back to the fireless cooking holes in the rear and two or more vessels of food utilize the heat generated by only one burner. Extra cooking capacity without increased fuel consumption.



No. 574—EVERITE KEROGAS OIL RANGE—Patented

### No. 574 EVERITE KEROGAS OIL RANGE

Wickless

Five Burners—Auxiliary Cooking Top

Cooking Height.....	32 in.
Extreme Height.....	47½ in.
Floor Space.....	50x25½ in.
Cooking Top.....	30¾x21½ in.
Oven Size.....	16x12x20 in.
Shipping Weight.....	179 lbs.
Price.....	\$48.37

### No. 572 EVERITE KEROGAS OIL RANGE

Four Burners—Auxiliary Cooking Top

Cooking Height.....	32 in.
Extreme Height.....	47½ in.
Floor Space.....	40¾x25½ in.
Cooking Top.....	21½x21½ in.
Oven Size.....	16x12x20 in.
Shipping Weight.....	164 lbs.
Price.....	\$44.62

Concealed fuel tank. Auxiliary cooking top with one cast iron sectional lid. Finished in ivory and black. Porcelain enameled oven door and oven side splasher. Aluminized oven interior. Oven thermometer. Green porcelain enameled burner drums. Leg levelers.



## EVERITE KEROGAS OIL RANGES



No. 573—EVERITE KEROGAS OIL RANGE—Patented

### No. 573 EVERITE KEROGAS OIL RANGE

Wickless

Five Burners—Straight Cooking Top

Cooking Height.....	32 in.
Extreme Height.....	47½ in.
Floor Space.....	51x22 in.
Cooking Top.....	31x19½ in.
Oven Size.....	16x12x18½ in.
Shipping Weight.....	165 lbs.
Price.....	\$42.37

Concealed fuel tank, straight cooking top. Finished in ivory and black. Porcelain enameled oven door, aluminized oven interior. Oven thermometer. Leg levelers. Green porcelain enameled burner drums.

Cook and bake everything and anything as it should be cooked. Intense heat . . . easily regulated . . . provides exactly the temperature needed. And the wickless burner is not only designed for fast heat, but for clean heat. Perfect combustion insures a "blue gas" flame . . . more usable heat with less fuel.

### No. 571 EVERITE KEROGAS OIL RANGE

Wickless

Five Burners—Straight Cooking Top

Cooking Height.....	32 in.
Extreme Height.....	49½ in.
Floor Space.....	60½x17¼ in.
Cooking Top.....	31¼x16½ in.
Oven.....	17½x12x15½ in.
Shipping Weight.....	120 lbs.
Price.....	\$32.62

### No. 570 EVERITE KEROGAS OIL RANGE

Four Burners—Straight Cooking Top

Cooking Height.....	32 in.
Extreme Height.....	49½ in.
Floor Space.....	51x17¼ in.
Cooking Top.....	21¾x16½ in.
Oven.....	17½x12x15½ in.
Shipping Weight.....	114 lbs.
Price.....	\$28.87

These ranges have ivory finished splash back and body sides. Oven door panel is green porcelain enameled and fitted with thermometer. Aluminized oven interior. Convenient lower shelf. Glass oil fount. End shelf. Leg levelers. Burner drums are porcelain enameled.



No. 571—EVERITE KEROGAS OIL RANGE



## EVERITE KEROGAS OIL STOVES

### Easy to Light, Operate and Extinguish

Generate their own gas from kerosene oil. Operate by the immersion of the asbestos lighting ring into the oil supply, the level of the oil being constant with the height of fuel in the sub-tank. A handle at the front equipped with an indicator shows the proper positions for lighting, burning zone and out. Intense blue flame, free from soot or odor. Direct heat right where it's wanted, no heat wasted.

### No. 537 EVERITE KEROGAS OIL STOVE

#### Wickless

Finished in ivory with black top and lower shelf. Burner drums green porcelain enameled. Leg levelers. Cooking height 32 in. End shelf 8½ in.

No.	Burners	Top	Shipping Weight	Price Less High Shelf
527	2	25½x17½ in.	52 lbs.	\$14.25
537	3	35 x17½ in.	61 lbs.	18.00
547	4	43½x17½ in.	72 lbs.	21.75

#### High Shelves

No.	For	Shipping Weight	Price
2-I	2 burner	10 lbs.	\$2.92
3-I	3 burner	12 lbs.	3.37
4-I	4 burner	14 lbs.	3.82



No. 537—EVERITE KEROGAS OIL STOVE—with No. 3-I High Shelf



### Wickless Oil Burner

Just a turn of the handle and the burner is ready to light. The flame is brought up under the cooking vessel or oven bottom producing intense cooking or bak-heat. Extremely simple in construction.

### Leg Levelers

One is attached to each leg. Permits easy leveling. Screwed up or down to lower or raise any corner of the stove to level.

### No. 550 EVERITE KEROGAS OIL STOVE

#### Wickless

Cooking Height.....	35 in.
Extreme Height.....	41½ in.
Floor Space.....	35x23 in.
Top Surface.....	35x17½ in.
Shipping Weight.....	90 lbs.
Price.....	\$21.90

Attractive three burner cabinet type stove finished in ivory with green porcelain enameled burner drums. Metal fuel tank in rear. Lower compartment with two swinging doors. Furnished with splasher as shown.



No. 550—EVERITE KEROGAS OIL STOVE



# ANCHOR BLUE FLAME WICKLESS OIL STOVES



No. 043B ANCHOR OIL STOVE—With No. 3-I High Shelf

## No. 043B ANCHOR OIL STOVE


Body and legs attractive green finish. Glass fuel tank. Supply of oil is always visible. Has bail and handle for easy carrying. Square cast top grates accommodate heaviest utensils.

Size of Top.....35x17½ in.      Shipping Weight.....52 lbs.  
Cooking Height.....31½ in.      Price Less High Shelf. \$11.77

### No. 3-I High Shelf

Finished in Ivory with Black Shelf

Shipping Weight.....12 lbs.      Price.....\$3.37



No. 033B ANCHOR OIL STOVE

Produce gas from kerosene oil providing a clean, blue flame of intense heat. They are moderate in fuel consumption, without complicated parts and always ready for immediate use. Simply apply a match to the lighting ring—the flame is in quick, close contact with the cooking utensil or oven.



No. 1222 ANCHOR OIL STOVE

## No. 1222 ANCHOR OIL STOVE

Attractive leg style stoves thirty inches in height. Glass oil tank with automatic oil feed. Attractive green and black finish. Designed for sturdy service—will accommodate heavy utensils. Not made for high shelf.

No. 1222 Two Burners—Size of Top 22x12 in., Cooking Height 30 in., Shipping Weight 22 lbs., Price.....\$6.45

No. 1223 Three Burners—Size of Top 32x12 in., Cooking Height 30 in., Shipping Weight 27 lbs., Price.....\$8.33

## No. 033B ANCHOR OIL STOVE

Provide cooking service economically indoors or out—anywhere that quick heat is desired. Have glass oil tank with automatic oil feed. Attractive green and black finish. Not made for high shelf.

No. 033B Three Burners—Size of Top 32x14 in., Height 10 in., Shipping Weight 23 lbs., Price.....\$7.95


No. 032B Two Burners—Size of Top 22x14 in., Height 10 in., Shipping Weight 17 lbs., Price.....\$6.07

No. 031B One Burner—Size of Top 14x14 in., Height 10½ in., Shipping Weight 12 lbs., Price.....\$4.20




## ANCHOR BLUE FLAME WICKLESS OIL STOVES

Durable, low style stoves in attractive green and black finish. With glass oil tank and automatic oil feed. Supply of fuel is always visible. Steel legs, lower shelf. Not made for high shelf.



**No. 223 ANCHOR**


Size of Top.....32x12 in.      Shipping Weight.....21 lbs.  
Height.....10½ in.      Price.....\$7.35



**No. 222 ANCHOR**

Size of Top.....22x12 in.      Shipping Weight.....16 lbs.  
Height.....10½ in.      Price.....\$5.47

These low style stoves are especially useful where space is limited. Steel legs. Lower shelf. Steel tank with automatic oil feed. Pleasing green and black finish. Not made for high shelf.




**No. 123 ANCHOR**

Size of Top.....32x12 in.      Shipping Weight.....20 lbs.  
Height.....10½ in.      Price.....\$7.20



**No. 122 ANCHOR**

Size of Top.....22x12 in.      Shipping Weight.....15 lbs.  
Height.....10½ in.      Price.....\$5.32



**No. 30 ANCHOR**

**No. 30 ANCHOR**

This portable Anchor Blue Flame wickless oil stove has well constructed steel frame, feet and fuel tank black japanned finish. Oil tank with automatic oil feed. Burner drum aluminized.

Readily portable, free from excess weight, can be used anywhere about the home or transported elsewhere.

**No. 30**—1 burner. Height overall 9 in. Width overall 15 in. Capacity of tank—1 quart. Packed one to a carton. Shipping weight, 4 lbs. Price.....\$3.15



## PRESSURE KEROGAS STOVES FOR GASOLINE



No. 13BI PRESSURE KEROGAS STOVE  
With No. 3-I High Shelf

Instant and direct lighting—Strike a match and turn a valve—burner starts at once. The simplest and most dependable lighting method—no delicate or complicated parts. Lighting is direct—there are no pre-heating tubes or hot blast cups to get out of order—no spring or coil in the generator to clog up. Quick-acting burner valves. Perfect combustion provides cleanliness. No smudge or soot. Utensils do not become smoked. The air pump is built on.

### PRESSURE KEROGAS STOVES

Body and legs finished in ivory with cooking top and lower shelf black. New direct lighting generator and quick acting burner valves. New, round, high efficiency burners. Brass fuel tank. Cooking height, 31½ inches.

No.	Burners	Size of Top	Shipping Weight	Price Less High Shelf
12BI	2	25½x17½ in.	52 lbs.	\$22.95
13BI	3	35 x17½ in.	68 lbs.	26.17
14BI	4	43½x17½ in.	82 lbs.	28.87

#### High Shelves

No.	For	Shipping Weight	Price
2-I	2 burner	10 lbs.	\$2.92
3-I	3 burner	12 lbs.	3.37
4-I	4 burner	14 lbs.	3.82

### PRESSURE KEROGAS STOVES

#### Low Style



Finished in black rubberoid. New direct lighting generator and quick acting burner valves. Brass fuel tank. Air pump separate. Not made for high shelf. Total height, 9½ inches.

No.	Burners	Size of Top	Shipping Weight	Price
129B	2	25½x17½ in.	49 lbs.	\$20.62
139B	3	35 x17½ in.	57 lbs.	23.47

### NEW, ROUND, HIGH EFFICIENCY PRESSURE KEROGAS BURNERS

A new burner of greater efficiency, clean, perfect combustion and greater fuel saving than ever before. The round head with slots at the sides reduces possibility of clogging from boiled over foods to the minimum. Easily regulated from low to most intense heat.

### No. 925-5 PRESSURE KEROGAS RANGE

Oven.....	16x13½x20 in.	Height.....	44½ in.
Broiler.....	14x5½x17½ in.	Height with cover up.....	50 in.
Storage Compartment.....	9x24x21½ in.	Shipping Weight.....	330 lbs.
Cooking Surface.....	19½x22 in.	Code:	
Cooking Height.....	36½ in.	No. 925-5—White.....	\$117.37
Length Overall.....	40 in.	No. 925-6—Ivory.....	117.37
Depth.....	28 in.		

Porcelain enamel finish, all white or all ivory. Concealed brass fuel tank in lower left compartment. Built-in pump, Direct Lighting Generator, Quick-acting burner valves. New, round high efficiency burners. Insulated oven with porcelain enameled linings. Oven thermometer. Broiler drawer. Four cooking burners and oven burner. Roomy storage compartment at right.



No. 925-5 PRESSURE KEROGAS RANGE



## PRESSURE KEROGAS RANGES FOR GASOLINE

### No. 915-6 PRESSURE KEROGAS RANGE

Oven.....	16x14x19 in.	Height, closed.....	40¼ in.
Br. Drawer.....	14x5½x18½ in.	Height, open.....	46¼ in.
Cooking Surface.....	18x18 in.	Shipping Weight.....	292 lbs.
Cooking Height.....	35¼ in.		
Length Overall.....	40½ in.	No. 915-5—White.....	\$101.25
Depth.....	27 in.	No. 915-6—Ivory.....	101.25

Porcelain enamel finish, all white or all ivory. Concealed brass fuel tank, built-in pump, direct lighting generator and quick acting burner valves. New, round, high efficiency burners. Insulated oven with porcelain enameled linings. Oven thermometer. Broiler drawer. Four cooking burners; oven burner. A Pressure KeroGas range provides "city gas" convenience for rural homes.



No. 915-6—PRESSURE KEROGAS RANGE



### No. 905-5 PRESSURE KEROGAS RANGE

Oven.....	16x13x19 in.
Broiler.....	16x7½x19 in.
Cooking Top.....	18x18 in.
Cooking Height.....	35¼ in.
Storage Compartment.....	16x5½x20 in.
Length Overall.....	38½ in.
Depth.....	27 in.
Height, closed.....	38½ in.
Height with cover up.....	46½ in.
Shipping Weight.....	263 lbs.
No. 905-5—White.....	\$81.75
No. 905-6—Ivory.....	81.75

Porcelain enameled finish, white or ivory. Brass tank, direct lighting generator, quick acting burner valves, round, high efficiency burner. Insulated oven, porcelain enameled linings. 4 top cooking burners and oven burner.

Compact  
Range  
for  
Small  
Space



### No. 903-6

Oven.....	16x13x12½ in.
Cooking Height.....	34½ in.
Extreme Height.....	36 in.
with cover up.....	47 in.
Floor Space.....	32x17 in.
Top Surface.....	32x14 in.
Shipping Weight.....	120 lbs.
Price.....	\$45.00



### No. 903-6 PRESSURE KEROGAS RANGE

Finished in black and ivory with porcelain enameled oven and compartment doors. Concealed brass fuel tank, built-in pump, direct lighting generator and quick-acting burner valves. New, round, high efficiency burners. Oven door thermometer. Three top cooking burners and oven burner.



## SANDS WATER HEATERS

### Multi-Coil Hot Water Heating Unit



This heating unit brings to the public a modern, efficient, economical, carefree and safe heating unit. It is low in price and yet has all the conveniences of the higher priced cast iron heating boilers.

**Uses:** Can be adapted to small homes, green houses, small office buildings, garages, duplex homes and any place requiring 350 square feet or less of hot water radiation. Where more radiation is desired, heaters can be connected in twin units.

**Auxiliary Heater:** An ideal system when used in connection with coal fired boilers as an auxiliary heating plant for early spring or late fall, when it is difficult to maintain proper temperature in the home.

**A Complete Unit:** Only one heater is required to furnish 350 square feet of radiation. Sands engineers have developed in a single unit a heater of sufficient heating capacity to furnish 350 square feet of radiation. No expensive installation costs are needed as only ONE UNIT is required. Does the work of two ordinary heaters and twin units are not necessary.

**Construction:** Heavy duty construction throughout. Every part of the heater is of the finest quality to insure longevity of life and will last for years, insuring carefree and uninterrupted service.

**Coil:** Copper coil contains 54 feet of one inch 18 gauge heavy seamless copper tubing.

**A.G.A. Seal:** Heater bears the American Gas Association seal (A.G.A.) having an input gas burning capacity of 70,000 B.T.U. per hour of natural gas and 80,000 B.T.U. of artificial gas.

**Jacket:** Cast iron jacket throughout. Inner liners prevent heat radiation and improve efficiency of the heater. A heavy coat of heat resisting Enamel gives heater a beautiful and lasting finish.

**Legs:** Three large heavy cast iron legs are furnished with each heater.

**Draft Hood:** Large sheet metal draft hood is designed to carry off flue gases and prevent down draft.

**Safety Pilot:** Our own design, properly fitted to heater, making heater absolutely safe.

**Guaranteed:** Heater is fully guaranteed for a period of one year against defective workmanship or material. A.G.A. approved.  $\frac{3}{4}$ " Gas Connections. 4" Flue Connections. Water Connections  $1\frac{1}{4}$ " Brass Unions.

No.	Overall Height with legs	Diameter	B.T.U. Rating		Recovery Cap. Gal. Per Hour		Weight	Price
100S	40 inches	13 $\frac{1}{4}$ inches	Nat. Gas	Art. Gas	Nat. Gas	Art. Gas	150 lbs.	\$75.00
			70000	80000	97.9	111.9		

### Mercury Automatic Storage Water Heater Insulated Type

An automatic storage water heater within reach of all. Designed to enable dealer to sell a compact, neat, low price automatic storage water heater. An assembled unit ready to install. A complete outfit—No extras.

**Base and Legs:** Concealed legs with attractive stream line base.

**Door and Frame:** Attractive cast iron double door and frame.

**Mechanism and Controls:** Placed in front of heater making controls always accessible. Allows heater to fit into corner or small space as all controls are directly in front of heater.

**Thermostat:** New type with dirt trap and screen included as an integral part of the thermostat.

**Burner and Safety Pilot:** Entirely new burner and safety pilot—very efficient. Safety pilot and throttle control in one complete unit allows gas flame to be adjusted to correct flame in accordance with gas pressure.

**Finish:** A two tone color combination of ivory with brown trim.

**Tank:** Galvanized, extra heavy, 300 lb. test.

Center flue type—very efficient.  $\frac{1}{8}$ " Rockwool insulation. Control—snap action thermostat. Independent pilot line.

No.	Height	Width	B.T.U. Burner Capacity	Heating Capacity Gallons	Weight	Price
150S	54 inches	15 inches	15000	28	145 lbs.	\$52.00
200S	59 inches	15 inches	20000	28	165 lbs.	53.00
300S	65 inches	18 inches	20000	28	230 lbs.	66.00

### Non-Insulated Type

Tank is double, extra heavy steel, tested at 300 lb. pressure. 150 lbs. working pressure. Stand, drain cock and draft hood are standard equipment. A.G.A. approved. Water connections  $\frac{3}{4}$ ". Gas connection  $\frac{1}{2}$ ". Flue connection 3".

No.	Tank Capacity Gallons	Height	Diameter	Weight	Price
15A	15	44"	12"	90 lbs.	\$30.80
20A	20	46"	12"	100 lbs.	33.00
30A	30	59"	14"	120 lbs.	38.50



### Major Automatic Storage Water Heater

There's comfort in having continuous hot water. Major Automatic Storage Heaters provide it as hot and as much as you want and whenever required. Once installed and pilot lighted, it automatically cares for itself. It is always ready night and day.

Tanks are made of copper bearing steel, which insure longevity. Shell of tank made of 10 gauge, top 7 gauge and the bottom 3 gauge. Tanks are tested to 300 pounds per square inch hydrostatic pressure and guaranteed to withstand a constant working pressure of 150 pounds per square inch.

Finished in a beautiful shade of light blue enamel with a "Kraak" finish. Thermostats, safety pilot, valves, fittings, etc. are natural brass finish.

One and one-half inch rock wool insulation.

Snap action type thermostat is regular equipment.

Burner will not backfire or deposit carbon—requires no adjustment, thus assuring lowest possible gas bills.

Safety pilot shuts off all gas automatically in case pilot light is extinguished.

Regulating valve assures proper gas supply to heater.

Base is made of No. 14 gauge pressed steel with special secondary air openings. Combination base and drip pan are stamped in one piece.

A.G.A. approved.

No.	Tank Capacity Gallons	B.T.U. Burner Capacity Nat. or Art.	Recovery Capacity Per Hour Nat. or Art.	Height	Diameter	Weight	Price
15JS	15	16000	22.4	46"	22"	208 lbs.	\$66.70
20JS	20	27000	37.8	57"	22"	250 lbs.	71.90
30JS	30	27000	37.8	68"	22"	300 lbs.	85.70
40JS	40	27000	37.8	68"	24"	335 lbs.	109.70





## SANDS WATER HEATERS

### No. 40 DOUBLE COIL WATER HEATER



**Jacket**—Large cast iron jacket, black japanned. All double coil heaters have flared jackets, preventing heat loss and finish from burning off.

**Burner**—Raised drilled port type, making heater very efficient.

**Baffle**—Patented baffle plate distributes heat directly on heavy double coils.

**Drip Pan Base**—All heaters are equipped with a combination drip pan and base, making a neat and attractive appearance.


**Mixer**—Large bottom feed mixer furnished as standard equipment.

**Copper Coils**—Heavy double copper coils with brazed fittings make up the heating unit. Every coil is dipped in a special solution giving it a new bright appearance. Tested under 100 lbs. air pressure assuring tight joint and perfect copper tubing. Coil is 13½ ft. long.

ution giving it a new bright appearance. Tested under 100 lbs. air pressure assuring tight joint and perfect copper tubing. Coil is 13½ ft. long.

No.	Height	Dia- meter	B.T.U. Rating		Recovery Capacity		Weight	Price
			Nat. Gas	Art. Gas	Nat. Gas	Art. Gas		
40	18"	7½"	22000	27000	30.8	37.8	33 lbs.	\$9.70

### No. 50 DOUBLE COIL WATER HEATER



**Jacket**—Large cast iron jacket, black japanned. All double coil heaters have flared jackets, preventing heat loss and finish from burning off.

**Burner**—Raised drilled port type, making heater very efficient.

**Baffle**—Patented baffle plate distributes heat directly on heavy double coils.


**Drip Pan Base**—Heaters are equipped with a combination drip pan and base, making a neat and attractive appearance.

**Mixer**—Large bottom feed mixer furnished as standard equipment.

**Copper Coils**—Every coil is dipped in a special solution, giving it a new bright appearance, and tested under 100 lbs. air pressure, assuring tight joint and perfect copper tubing. Heavy double copper coils with brazed fittings make up the heating unit. Coil is 17½ ft. long. Furnished with galvanized union couplings.

No.	Height	Dia- meter	B.T.U. Rating		Recovery Capacity		Weight	Price
			Nat. Gas	Art. Gas	Nat. Gas	Art. Gas		
50	22¾"	8¼"	25000	30000	35.	42.	44 lbs.	\$13.80

### No. 80 TRIPLE COIL WATER HEATER



**Jacket**—Large cast iron flared jacket, black japanned.

**Burner**—Raised drilled port type, making heater very efficient.

**Baffle**—Patented baffle plate distributes heat directly on heavy triple coils.

**Drip Pan Base**—Equipped with a combination drip pan and base, making a neat and attractive appearance.

**Mixer**—Large bottom feed mixer furnished as standard equipment.


**Copper Coils**—Triple copper coils contain 36 feet of ¾" O.D. No. 20 gauge seamless copper tubing.

A.G.A. approved. Heavy Brass Union Couplings. 1" Water Connections. 3" Flue Connection.

No.	Height	Dia- meter	B.T.U. Rating		Recovery Capacity		Weight	Price
			Nat. Gas	Art. Gas	Nat. Gas	Art. Gas		
80	25½"	11"	45000	40000	55.9	62.9	85 lbs.	\$38.00

### AUGMORE CAST IRON COIL WATER HEATER

#### For Hard Water



The "Augmore Coil" is the peer of all cast iron coil heaters. The large unobstructed waterways make this heater especially adapted to hard water districts.


**Jacket**—Double Steel jackets with dead air space insulates heater.

**Burner**—Combination burner and mixer can be removed by releasing one set screw. Burner can be adjusted to move around in any position.

Gas connections ½". Water connections ¾". Flue 3".

No.	Height	Diameter	Capacity	Weight	Price
9	27"	7"	30 gal.	33 lbs.	\$7.50

### KEROSENE WATER HEATER



**Jacket**—Cast iron black fired japan finish, nothing to burn out.

**Coils**—Double copper coil construction, absorbs heat rapidly.

**Burner**—A "Giant" Blue Flame Burner.

**Tank**—A large, glass reservoir, holds one gallon of Kerosene and shows instantly the amount of oil consumed and is easily refilled.

**Economy**—One gallon of kerosene will burn for eleven consecutive hours without refilling.

**Capacity**—It will heat a thirty gallon range boiler.

Full instructions are enclosed with each and every heater and burner outfit. This covers care and regulation of burner, and if used according to directions will give universal service and satisfaction.

No.	Diameter Tubes	Diameter Shell	Weight	Price
1	¾"	8"	49 lbs.	\$25.20

Showing Closed View  
of Heaters illustrated on  
this page





# AMERICAN BEAUTY OIL HEATERS

## No. 2P92 CIRCULATING MODEL

**Recommended Fuels**—Distillate, kerosene or any fuel oil within the range of 36° to 43° Baume; Flash point not less than 110° Fahrenheit.

**Burners**—One 8-inch and one 10-inch Improved Pot-type with one-turn Valves controlling each Burner.

**Burner Control**—The Dual Burner system of this all powerful heat producing model permits wide flexibility in burner operations, either the low, medium or high heat requirements as weather conditions may require. Positively no other Pot-type Burner equipped Space Heater in the market offers such wide heat producing possibilities in its operation and is exclusive with Beautyheaters.

**Heating Capacity**—Estimated 8,250 cu. ft., depending upon nature of buildings and glass exposure.

**Oil Consumption**—Maximum oil rate per hour, 2.33½ quarts—or 14 gallons per 24 hours.

**Oil Containers**—Two four-gallon Portable Tanks in Brown Crackle Finish.

**Flue Collar**—Cast Iron, 6-inch size—all models equipped with Automatic Draft Regulator.

**Combustion Chamber**—Heavy gauge Armco Steel Ingot Iron with welded seams, making fume tight this inner unit around which the air circulates and provides pure intensely heated air to the room.

**Body Construction and Finish**—American Walnut Grained Porcelain Enamel Body, with Black Porcelain Enamel Cast Iron Top Grills, Door, Frame and Legs with Leveling Device.

With Leveeing Device				Av. Fuel Consump.		B.T.U.			
No.	Height	Width	Overall	Depth	in 24	Input	Low	Weight	Price
				High	Hours	High	Low		
Equipped with metal tank, sump and one turn valve									
2P92	44"	29"	36½"	14 gal.	2½ gal.	79,850	14,270	258 lbs.	\$74.40
Equipped with six gallon tank and constant level metering valve									
2P92CT	44"	29"	36½"	14 gal.	2½ gal.	79,850	14,270	258 lbs.	83.32

## No. 2P62 CIRCULATING MODEL

**Recommended Fuels**—Distillate, kerosene or any fuel oil within the range of 36° to 43° Baume; Flash point not less than 110° Fahrenheit.

**Burner**—One 10-inch Improved Pot-type with one-turn Valve Control.

**Heating Capacity**—Estimated 4,750 cu. ft., depending upon buildings and glass exposure.

**Oil Consumption**—Maximum oil rate per hour, 2.66 pints—or 8 gallons per 24 hours.


**Oil Container**—One four-gallon Portable Tank in Brown Crackle Finish.

**Flue Collar**—Cast Iron, 6-inch size—all models equipped with Automatic Draft Regulator.

**Combustion Chamber**—Heavy gauge Armco Steel Ingot Iron with welded seams, making fume tight this inner unit around which the air circulates and provides pure intensely heated air to the room.

**Body Construction and Finish**—American Walnut Grained Porcelain Enamel Body, with Black Porcelain Enamel Cast Iron Top Grills, Door, Frame and Legs with Leveling Device.

No.	Height	Width	Depth Overall	Av. Fuel Consump. in 24 hours		B.T.U. Input		Weight	Price
				High	Low	High	Low		
Equipped with metal tank, sump and one turn valve									
2P62	44"	23"	33"	8 gal.	3 gal.	45,600	17,125	187 lbs.	\$51.22
Equipped with six gallon tank and constant level metering valve									
2P62CT	44"	23"	33"	8 gal.	3 gal.	45,600	17,125	187 lbs.	62.10



### NEW POT TYPE BURNER

The burner operates on the principle of mixing oil vapor with heated air. A film of oil on the bottom of the burner is easily lighted with a match and starts vaporizing immediately. This vaporized oil mixes with air entering through the walls of the burner and burns with a clean, orange-yellow flame of intense heat.

In the Pot Type Burner carbon formation is minimized because the film of oil on the bottom is kept relatively cool, by the constant circulation of cold air under the burner. The oil enters through the side, not through the bottom, which avoids sediment lodging in the pipeline.

Vaporization occurs from the top of this film of oil by direct heat from the flame. This top vaporization is the reason that Pot Type Heaters can be operated for long periods without carbon formation.



### How to Determine the Size of Heater Needed for a Particular Room

Although the following method cannot be said to be absolutely accurate, as many factors enter, such as frame or brick house construction, the number of windows, whether exposed or surrounded by other buildings—nevertheless, it is a simple method of coming close to the needed heat requirements.

(1) Multiply the length of the room by the width, by the height to ceiling, which total will furnish you with the number of cubic feet to be heated; (2) Multiply this total of cubic feet by the factor 5 to determine the heat units (B.T.U.) required of the heater in temperatures of 30 degrees Fahrenheit.

For zero temperatures, multiply the total cubic feet by the factor 8 to determine the heat units needed of heaters.

For example, a room 12 by 12 with 9 foot ceiling—(12 x 12 x 9) would total 1,296 cubic feet. For zero weather multiply 1,296 by 8, and the total will be 10,368 B.T.U., which are needed to heat the room.



## No. 2P91 RADIATING MODEL

**Recommended Fuels**—Distillate, kerosene or any fuel oil within the range of 36° to 43° Baume; Flash point not less than 110° Fahrenheit.

**Burner**—One 10-inch Improved Pot-type with one-turn Valve Control.

**Heating Capacity**—Estimated 4,750 cu. ft., depending upon nature of buildings and glass exposure.

**Oil Consumption**—Maximum oil rate per hour, 2.66 pints—or 8 gallons per 24 hours.

**Oil Container**—One four-gallon Portable Tank in Brown Crackle Finish.

**Flue Collar**—Cast Iron, 6-inch size—all models equipped with Automatic Draft Regulator.

**Body Construction and Finish**—American Walnut Grained Porcelain Enamel Body with Black Porcelain Enamel Cast Iron Top, Door, Frame, Base and Legs with Leveling Device.

Device.			Av. Fuel Consump.			B.T.U.				
No.	Height	Width	Depth	Overall	High	Low	High	Low	Weight	Price
Equipped with metal tank, sump and one turn valve										
2P91	44"	15"	28"	8 gal.	3 gal.		45,600	17,125	135 lbs.	\$42.00
Equipped with six gallon tank and constant level metering valve										
2P91CT	44"	15"	28"	8 gal.	3 gal.		45,600	17,125	135 lbs.	52.72





## AMERICAN BEAUTY OIL HEATERS



## No. 2P61 RADIATING MODEL

**Recommended Fuels**—Distillate, kerosene or any fuel oil within the range of 36° to 43° Baume; Flash point not less than 110° Fahrenheit.

**Burner**—One 8-inch Improved Pot-type with one-turn Valve Control.

**Heating Capacity**—Estimated 3500 cu. ft., depending upon nature of buildings and glass exposure.

**Oil Consumption**—Maximum oil rate per hour, 2 pints—or 6 gallons per 24 hours.

**Oil Container**—One three-gallon Portable Tank in Brown Crackle Finish.

**Flue Collar**—Cast Iron, 6-inch size—all models equipped with Automatic Draft Regulator.

**Body Construction and Finish**—American Walnut Grained Porcelain Enamel Body with Black Porcelain Enamel Cast Iron Top, Door, Frame, Base and Legs with Leveling Device.

No.	Height	Width	Depth Overall	Av. Fuel Consump. in 24 hours		B.T.U. Input		Weight	Price
				High	Low	High	Low		
2P61	40½"	15"	28"	6 gal.	2½ gal.	34,250	14,270	129 lbs.	\$36.60
2P61CT	40½"	15"	28"	6 gal.	2½ gal.	34,250	14,270	129 lbs.	\$47.40

Equipped with metal tank, sump and one turn valve

Equipped with six gallon tank and constant level metering valve

## No. 2P19 RADIATING MODEL

**Recommended Fuels**—Distillate, kerosene or any fuel oil within the range of 36° to 43° Baume; Flash point not less than 110° Fahrenheit.

**Burner**—One 10-inch Improved Pot-type with one-turn Valve Control.

**Heating Capacity**—Estimated 4750 cu. ft., depending upon nature of buildings and glass exposure.

**Oil Consumption**—Maximum oil rate per hour, 2.66 pints—or 8 gallons per 24 hours.

**Oil Container**—One four-gallon Portable Tank in Brown Crackle Finish.

**Flue Collar**—Cast iron, 6-inch size—all models equipped with Automatic Draft Regulator.

**Body Construction and Finish**—Heavy gauge Black Beauty Satin Finish Steel Body, with Satin Black Finish Cast Iron Top, Door, Frame, Base and Legs with Leveling Device.

No.	Height	Width	Depth Overall	Av. Fuel Consump. in 24 hours		B.T.U. Input		Weight	Price
				High	Low	High	Low		
2P19	44"	15"	28"	8 gal.	3 gal.	45,600	17,125	133 lbs.	\$31.13
2P19CT	44"	15"	28"	8 gal.	3 gal.	45,600	17,125	133 lbs.	\$41.93

Equipped with metal tank, sump and one turn valve

Equipped with six gallon tank and constant level metering valve



Back View of Heater—  
Barometric Feed Tank



Constant level valve  
and tank

## No. 2P16 RADIATING MODEL

**Recommended Fuels**—Distillate, kerosene oil or any fuel oil within the range of 36° to 43° Baume; Flash point not less than 110° Fahrenheit.

**Burner**—One 8-inch Improved Pot-type with one-turn Valve Control.

**Heating Capacity**—Estimated 3500 cu. ft., depending upon nature of buildings and glass exposure.

**Oil Consumption**—Maximum oil rate per hour, 2 pints—or 6 gallons per 24 hours.

**Oil Container**—One three-gallon Portable Tank in Brown Crackle Finish.

**Flue Collar**—Cast Iron, 6-inch size—all models equipped with Automatic Draft Regulator.

**Body Construction and Finish**—Heavy gauge Black Beauty Satin Finish Steel Drum, with Satin Black Finish Cast Iron Top, Door, Frame, Base and Legs with Leveling Device.

No.	Height	Width	Depth Overall	Av. Fuel Consump. in 24 hours		B.T.U. Input		Weight	Price
				High	Low	High	Low		
2P16	38"	12"	25½"	6 gal.	2½ gal.	34,250	14,270	90 lbs.	\$28.28

Equipped with metal tank, sump and one turn valve



Leg adjustment



## KEROGAS OIL HEATERS



### No. 632A KEROGAS DUPLEX HEATER

Quick, powerful heating service at low cost. Cold air is taken in at the bottom—quickly heated—and passes out through the top openings at the front and sides. This heat rises into the room and as cold air is constantly taken in at the bottom, an effective circulation of humidified heat is maintained.

Radiant heat is reflected forward and downward from the body of the heater. Requires no flue connection; can easily be placed in any location. Humidifier tank insures properly moistened, healthful heat.

Opening the heater exposes the cooking grate, which furnishes the additional service of an oil cook stove.

Attractive brown art metal finish. Top is brown porcelain enamel. Chromium plated handles. Two swing doors. Fitted with wire rack to accommodate cooking utensils. Two gallon oil tank with automatic oil feed. Humidifier tank. Two giant wickless burners. A spirit level is attached to the supply line for proper leveling. An adjustable fifth leg under sub-tank provides stable support to prevent heater tipping backward.

### RAPID COOKING SERVICE

Two powerful, giant wickless burners provide a clean, intense blue flame that does cooking in quickest time.

No.....	632A
Width.....	24½ in.
Depth.....	15 in.
Overall.....	25 in.
Total Height.....	32½ in.
Approximate Shipping Weight.....	86 lbs.
Price.....	\$24.38

### No. 631A KEROGAS DUPLEX HEATER

Here's a smaller type heater with one giant wickless oil burner. Provides quick service. Finished in attractive rich brown art metal. Top is dark brown porcelain enamel. Chromium plated handles. Fitted with wire rack to accommodate cooking utensils. One gallon glass oil tank with automatic oil feed. Humidifier tank.

No.....	631A
Width.....	14 in.
Depth.....	12¾ in.
Overall.....	21½ in.
Total Height.....	26 in.
Approximate Shipping Weight.....	46 lbs.
Price.....	\$15.67



The Dual-Purpose Heaters . . . .

Economically Circulate Humidified Heat

Provide Fast, Dependable Cooking Service



# THE NEW NESCO CIRCULATING HEATER WITH THE *Cooking Top*


27



Double utility—at no extra operating cost! To all the regular NESCO DeLuxe features in this model has been added a convenient auxiliary cooking service which is put into operation merely by opening the lid. Rich, deep brown, crackled baked Japanned finish with exception of Cooking Top, which is black Japanned. Grates are zinc plated. Modern, smokeless, odorless burners unaffected by vibration.

## No. 052A—SPECIFICATIONS

Height.....	31½ in.	Capacity of Fount.....	2 gal.
Width.....	26½ in.	Burners—Standard.....	2
Depth.....	14¼ in.	Weight—crated.....	65 lbs.
Depth, including Oil Fount.....	19¼ in.	Price.....	\$22.52



## NESCO DE LUXE CIRCULATING KEROSENE HEATERS



No. 42

No. 42 De Luxe is the aristocrat of the NESCO DeLuxe line of heaters. It has style, beauty and dependable value. Black crackled baked Japanned finish. Chromium trimmed and equipped with humidifier, two Giant Dubl-Hot Burners. Spirit Level and leveling screws. Over Flow Safety Feature.

No.....	42
No. and Type of Burners.....	2 (Dubl-Hot)
Fuel Tank (metal).....	2 gal.
Height.....	31½ in.
Width.....	26½ in.
Depth.....	19¼ in.
Weight, crated.....	64 lbs.
Price.....	\$23.40

No. 41 Nesco DeLuxe is a smaller edition of the aristocratic No. 42. Similar in design and finish in every respect... the same black crackled finish, chromium trim, and distinctive features. It has, however, a smaller fuel tank and only one Dubl-Hot Burner. Over Flow Safety Feature.

No.....	41
No. and Type of Burners.....	1 (Dubl-Hot)
Fuel Tank (metal).....	1 gal.
Height.....	24¾ in.
Width.....	15 in.
Depth.....	23¾ in.
Weight, crated.....	39 lbs.
Price.....	\$15.53



No. 41

No. 041 Nesco DeLuxe is identical to No. 41 in all respects except finish. It has no chromium trim and has a brown crackled baked Japanned finish instead of black. Over Flow Safety Feature.

No.....	041
No. and Type of Burners.....	1 (Dubl-Hot)
Fuel Tank (metal).....	1 gal.
Height.....	24¾ in.
Width.....	15 in.
Depth.....	23¾ in.
Weight, crated.....	38 lbs.
Price.....	\$14.18




No. 041




No. 042

No. 042 Nesco DeLuxe is practically the same Heater as No. 42. Like No. 041, however, it has no chromium trim but has a brown crackled baked Japanned finish. Over Flow Safety Feature.

No.....	042
No. and Type of Burners.....	2 (Standard)
Fuel Tank (metal).....	2 gal.
Height.....	31½ in.
Width.....	26½ in.
Depth.....	19¼ in.
Weight, crated.....	63 lbs.
Price.....	\$19.80



## Features OF THE NESCO DE LUXE CIRCULATING HEATERS



The dignified modern appearance of NESCO DeLuxe Circulating Kerosene Heaters makes the convenience of this type of unit acceptable to the most discriminating taste in home furnishings. Like fine furniture, they are built for both style and durability.



## NESCO DE LUXE Portable Kerosene Heaters

### No. 40

No. 40—Slightly smaller than No. 50, but the same design and construction.

Height (bail down).....23 $\frac{3}{4}$  in.  
Diameter of Upper Cylinder.....9 in.  
Capacity of Fount.....4 qts.  
Weight, carton.....14 lbs.  
Price.....\$6.52



### No. 50 GIANT

#### Features

New modernistic design, positive automatic Safety Lock, solid one-piece base and feet. Listed under re-examination service of Underwriters' Laboratories.

#### SPECIFICATIONS

Height.....25 $\frac{3}{4}$  in.  
Diameter of Upper Cylinder.....10 $\frac{1}{8}$  in.  
Width.....18 in.  
Capacity of Fount.....5 qts.  
Wicks, circumference.....15 in.  
Weight, carton.....30 lbs.  
Price.....\$10.80

### No. 30

No. 30—The smallest DeLuxe Model with all the DeLuxe features.

Height (bail down).....21 $\frac{1}{4}$  in.  
Diameter of Upper Cylinder.....7 $\frac{1}{8}$  in.  
Capacity of Fount.....3 qts.  
Weight, carton.....10 $\frac{3}{4}$  lbs.  
Price.....\$5.62



## NESCO TROPICAL PORTABLE KEROSENE HEATERS

### No. 015

No. 015—Standard in design, but from the standpoint of efficiency parallels No. 40 DeLuxe.

Ventilated Top and Sides; solid one piece base and legs.

Height.....23 $\frac{1}{4}$  in.  
Capacity of Fount.....4 qts.  
Weight, carton.....14 lbs.  
Price.....\$6.07




### No. 012

No. 012—Slightly smaller than No. 015; but similar in construction and design. Blue Steel upper and lower cylinders; Japanned trimmings and spring lock.


Height.....21 $\frac{1}{4}$  in.  
Capacity of Fount.....3 qts.  
Weight, carton.....10 $\frac{1}{4}$  lbs.  
Price.....\$5.40

### Giant 5-Quart Founts




Non-rusting Brass Center Tube. Slots in the wick carrier are cut diagonally, giving the wick a spiral motion when raised. Heavy wick stem, set at an angle of 60° and fitted with two ratchets with heavy brass gear wheels, insures efficient operation. Other features are the same as for the standard size.

### Standard Nesco Founts



### Nesco Perfect Wicks



For Giant Heaters (New Style) No. 515NS (new style with Diagonal Perforations). Old Style—No. 515 (old style with straight perforations). 15" circumference.  
For Standard Heaters—No. 348. For 3 and 4-quart Founts—8" in circumference.

1. Flame Spreader.
2. Spiral stem raises wick and stops when at proper height.
3. Indicator Float operates accurate gauge.

4. Reinforced Bottom for extra strength.
5. Automatic wick snuffer.
6. Gallery to catch match heads and char.

7. Wick Raising Handle.
8. Perforated wick carrier riveted to wick.
9. Large Filler Opening.



## NATIONAL GAS RANGES



B-350-1

### NATIONAL SUPERB MODEL DE LUXE

This range is sturdy and rigid, the unbreakable angle iron frame supporting cast column front. Full porcelain throughout with chrome hardware. Two large, roomy service drawers, full size oven and broiler, large porcelain recessed cooking top, and 38½ inch main top provide ample space.

#### FEATURES THAT MAKE IT EASY TO SELL NATIONALS

**Insulation**—Sixteen pounds of genuine Johns-Manville rock wool goes into every fully insulated National Range. Corners are packed tight, insuring SEALED-IN oven heat, reducing gas consumption and assuring economical baking and broiling.

**Top Burners**—Cast iron type speed burners with cast aluminum heads, supplying a band type focused flame, which covers the entire bottom of vessel, effecting economical baking.

**Oven Heat Regulator**—Latest liquid type, designed to harmonize with range, with self-locking oven gas cock attached. Accurate and trouble-proof, it assures correct oven temperature at all times.

**Automatic Top Lighter**—Just turn on gas and your top burner lights automatically.

**Basket Type Broiler**—Pull-out broiler slides easily out of heat zone without touching hot broiler pan or rack.

**Porcelain throughout**—Including oven and broiler in latest colors and designs. Our porcelain finishes are live, lustrous and rugged.

**Fold-up Lid Cover**—Folds in center and rests against back guard when open, held rigid by a spring.

**Massive Legs and Base**—Heavy cast iron legs bolt directly onto body. This attractive base adds \$5.00 to the retail value of the range over ordinary legs.

#### Specifications and Prices

##### No. B-350-1

Cooking Height.....	35¼ in.	Oven.....	14x16x18½ in.
Cooking Top.....	20½x19 in.	Broiler.....	8x16x18½ in.
Drawers.....	19x15x9½ in.	Weight.....	235 lbs.
Floor Space.....	38½x21 in.	Price.....	\$70.12

#### CHOICE OF COLORS

Plain white, white with black base, plain ivory, ivory with green crystalline, ivory with tan crystalline, white with black crystalline. Be sure to specify color desired, when ordering.

### NATIONAL SUPERB MODEL

Dealers having a market for ranges embodying all the outstanding features of construction and design described above, but at a lower price will find these ranges just what they are looking for. Consider the description of these ranges and then note the attractive low prices given below.

**Special Features**—Round speed burners, cast iron legs, pull-out broiler, japanned recessed top, fold-up cover and bakelite hardware.

**Optional Equipment**—Massive legs and base, chrome hardware, recessed porcelain top, lamp, condiment set and Minute-Minder.

**No. F350-1 National**—Full porcelain throughout; with full insulation, automatic lighter and oven heat regulator.

#### Specifications and Prices

##### No. F-350-1 National

Cooking Height.....	36 in.	Oven.....	14x16x18½ in.
Cooking Top.....	20½x19 in.	Broiler.....	8x16x18½ in.
Drawers.....	19x15x9½ in.	Weight.....	210 lbs.
Floor Space.....	38½x21 in.	Price.....	\$62.25

#### ADDITIONAL MODELS

A350-1 National—Full porcelain, with insulation in top and oven door, automatic lighter.....	\$51.30
S350-1 National—Full porcelain, with insulation in top and oven door, stripped.....	49.50
F350-3 National—Three quarter porcelain trim, with two black sides and two black rear legs, with full insulation, automatic lighter and oven heat regulator.....	60.00
A350-3 National—Three quarter porcelain trim, with two black sides, two black rear legs, with automatic lighter.....	49.20
S350-3 National—Three quarter porcelain trim, with two black sides, two black rear legs, stripped.....	47.40

#### EXTRA FOR OPTIONAL EQUIPMENT

For lamp, condiment set and timer, add.....	\$11.55
For base and massive legs, add.....	2.47
For chrome hardware, add.....	.82
For porcelain round burners and recessed porcelain top, add.....	3.30

#### CHOICE OF COLORS

Plain ivory or plain white, ivory with green crystalline, ivory with tan crystalline, or white with black crystalline. Specify color desired, when ordering.



F-350-1

For manufactured, natural, propane bottled or butane piped gas. When ordering, be sure to specify type and properties of gas used, and we will adapt ranges at factory.



## NATIONAL GAS RANGES



No. F14-37

### NATIONAL GARETH MODEL

**Special Features**—Black bakelite hardware. Cast iron massive legs that bolt directly to body, with steel base strips. One piece lid which acts as splasher when burners are used. Two piece cast iron high gloss japan cooking top. Round cast iron drilled burners. Swing oven and compartment door. Large, roomy utensil compartment.

**F14-37 National**—Full porcelain with full insulation, automatic lighter, oven heat regulator, round speed burners and japan recessed top.

#### Specifications and Prices

##### No. F14-37 National

Cooking Height.....	35 in.	Oven.....	13x14x18½ in.
Cooking Top.....	20½x19 in.	Broiler.....	8x14x18½ in.
Main Top.....	35x21 in.	Utensil Compartment.....	13x14x18½ in.
Floor Space.....	36x22 in.	Weight.....	180 lbs.
Price.....		\$54.00	

#### ADDITIONAL MODELS

**A14-37 National**—Full porcelain with automatic lighter, insulation in top and oven door, round speed burners and japan recessed top.....\$43.50

**S14-37 National**—Full porcelain, insulation in top and oven door, round speed burners and japanned recessed top.....\$42.00

#### CHOICE OF COLORS

Plain white or plain ivory, ivory with brown design, ivory with green design, white with black design or white with red design.

### NATIONAL GALAHAD MODELS

**F370-1 National**—Full insulation, automatic lighter, oven heat regulator pull-out broiler, round speed burners and japan recessed top.

#### Specifications and Prices

##### No. F370-1 National

Cooking Height.....	36 in.	Oven.....	13x16x18½ in.
Cooking Top.....	20½x19 in.	Broiler.....	8x16x18½ in.
Main Top.....	30x23 in.	Weight.....	215 lbs.
Floor Space.....	30x23 in.	Price.....	\$57.75

#### ADDITIONAL MODELS

**A370-1 National**—Full porcelain with automatic lighter, insulation in oven door, pull-out broiler, round speed burners and recessed japan top.....\$47.62

**S370-1 National**—Full porcelain, insulation in oven door, round speed burners and japanned recessed top.....\$45.75

#### CHOICE OF COLORS

Plain white or plain ivory, ivory with brown design, ivory with green design, white with black design or white with red design.



No. F370-1

For manufactured, natural, propane bottled or butane piped gas. When ordering, be sure to specify type and properties of gas used, and we will adapt ranges at factory.



## NATIONAL GAS RANGES



DDF-14-1

### NATIONAL CONSOLE GAS RANGE

The National Console Range is built especially for those who want a high oven gas range. Furnished with either right or left hand oven in the wide variety of trims and equipment shown. Built with cast columned front on unbreakable angle iron frame.

**Special Features**—Round burners, japanned recessed top, black bakelite hardware. Pull-out broiler.

**No. F340-1 National**—Full porcelain and fully insulated, automatic lighter and oven heat regulator.

#### Specifications and Prices

##### No. F340-1 National

Cooking Height.....	34 in.	Oven.....	14x16x18½ in.
Extreme Height.....	42 in.	Broiler.....	8½x16x18½ in.
Utensil Compartment.....	19x19x8 in.	Cooking Top.....	20½x19 in.
Floor Space.....	38½x21 in.	Weight.....	190 lbs.
Price.....	\$56.47		

##### ADDITIONAL MODELS

A340-1 National—Full porcelain, with insulation in top and oven door, automatic lighter.....	\$45.52
S340-1 National—Full porcelain, with insulation in top and oven door, stripped.....	43.72
F340-3 National—Complete, three quarter porcelain trim, with black outside oven side, black burner box end and two black rear legs, with full insulation, automatic lighter and oven heat regulator.....	54.30
A340-3 National—Three quarter porcelain trim, with black outside oven side, black burner box end and two black rear legs with insulation in top and oven door, with automatic lighter.....	43.50
S340-3 National—Three quarter porcelain trim, with black outside oven side, black burner box end and two black rear legs with insulation in top and oven door, stripped.....	41.62

#### EXTRA FOR OPTIONAL EQUIPMENT

For chrome hardware, add.....\$ .82

##### CHOICE OF COLORS

Ivory with tan crystalline, ivory with green crystalline, white with black crystalline, ivory with plain green, ivory with plain tan and white with black. Specify color when ordering, also whether right or left hand oven is desired.

### NATIONAL TABLE TOP GAS RANGE

Modern in design—attractive in appearance—compact, yet completely equipped, stoutly constructed, large storage compartment, swing doors, rounded corners, black bakelite hardware, one piece top, star burners and japanned grids.

**Special Features**—Cast iron legs, one-piece swing doors for oven and utensil compartment, black bakelite gas cock and door handles, one-piece top with hinged lid top which acts as splashers when cooking.

**Optional Equipment**—Listed below.

**No. DDF-14-1 National**—Fully insulated; with full porcelain finish, automatic lighter and oven heat regulator.

#### Specifications and Prices

##### No. DDF-14-1 National

Cooking Height.....	35 in.	Oven.....	13x14x18½ in.
Cooking Top.....	20½x19 in.	Broiler.....	8x14x18½ in.
Utensil Comp't.....	16½x17x19 in.	Weight.....	175 lbs.
Floor Space.....	35x21 in.	Price.....	\$52.80

##### ADDITIONAL MODELS

DDA-14-1 National—Full porcelain, insulation in top and oven door, with automatic lighter.....	\$42.00
DDS-14-1 National—Full porcelain, insulation in top and oven door, stripped.....	40.12
DDS-14-3 National—Three quarter porcelain trim, with black sides and two black rear legs, stripped.....	37.95

#### EXTRA FOR OPTIONAL EQUIPMENT

For round speed burners and Japanned recessed top, add.....\$ 1.28

##### CHOICE OF COLORS

Ivory with tan crystalline, ivory with green crystalline, white with black crystalline, ivory with plain green, ivory with plain tan and white with black. Specify color, when ordering.



F340-1-R

For manufactured, natural, propane bottled or butane piped gas. When ordering, be sure to specify type and properties of gas used, and we will adapt ranges at factory.



# NATIONAL GAS RANGES AND COOKERS

## NATIONAL APARTMENT COOKER

The National Apartment Cooker may be obtained in the full enamel, or semi-enamel, and in the stripped or complete models. Complete ranges are equipped with oven heat control, automatic lighter and full insulation. The stripped model has insulation only in oven door. Full enamel and semi-enamel models have porcelain oven linings.

**Special Features**—Swing oven door, hinged lid top to act as splasher when cooking top is used, cast legs, black bakelite gas cock and door handles. Round speed burners and japanned recessed top.

**Optional Equipment**—Listed below.

**No. KKF-16-1 National**—Complete with full porcelain, full insulation, automatic lighter and oven heat regulator.

### Specifications and Prices

#### No. KKF-16-1

Cooking Height.....	36 in.	Oven.....	14x16x18 in.
Floor Space.....	21x20 in.	Cooking Top.....	20½x19¼ in.
Burners.....	4	Weight.....	110 lbs.
Price.....	\$48.37		

### ADDITIONAL MODELS

KKK-16-1 National—Full porcelain, insulation in oven door, with automatic lighter.....	\$37.50
KKS-16-1 National—Full porcelain, insulation in oven door, stripped.....	35.62
KKS-16-3 National—Three quarter porcelain trim, with two black rear legs and black sides, stripped, star burners and japanned open grids.....	32.55

### EXTRA FOR OPTIONAL EQUIPMENT

For broiler burner, add.....	\$3.00
------------------------------	--------

### CHOICE OF COLORS

Ivory with tan crystalline, ivory with green crystalline, white with black crystalline, ivory with plain green, ivory with plain tan and white with black. Be sure to specify color on order.



KKS-16-1 Four Burner Apartment Cooker



F-1 Four Burner Cooker

## THREE AND FOUR BURNER ENAMELED COOKERS

The F and T model three and four burner cookers come in full porcelain, semi-porcelain and all black models, the latter being illustrated on following page. Full porcelain and semi-porcelain models have hinged lift lids over cooking burners, porcelain oven linings, and may be had in all white with black trim, or ivory and green.

**Special Features**—Cast top grids and burners, one piece welded body, all parts die stamped Armco steel.

### Specifications and Prices

#### FOUR BURNER COOKER

Height.....	32¾ in.
Cooking Top.....	18½x18½ in.
Vent Collar.....	3 in.
Oven.....	15x10¼x17½ in.
Floor Space.....	24x22 in.
Weight.....	105 lbs.

#### THREE BURNER COOKER

Height.....	32¾ in.
Cooking Top.....	12½x25½ in.
Vent Collar.....	3 in.
Oven.....	15x10¼x11 in.
Floor Space.....	12x24½ in.
Weight.....	75 lbs.

#### FOUR BURNER COOKER

F-1 National—Full porcelain, porcelain linings with lid top.....	\$29.03
F-3 National—Semi-porcelain, black sides and rear legs, porcelain oven linings, with lid top.....	26.93
Patrol Lighter, add.....	1.65

#### THREE BURNER COOKER

T-1 National—Full porcelain, porcelain oven linings, with lid top.....	\$21.98
T-3 National—Semi-porcelain, black sides and rear legs, porcelain oven linings, with lid top.....	20.48



T-3 Three Burner Cooker—Semi-Porcelain Finish

For manufactured, natural, propane bottled or butane piped gas. When ordering, be sure to specify type and properties of gas used, and we will adapt ranges at factory.



# NATIONAL GAS COOKERS AND HOT PLATES



F-4

## THREE AND FOUR BURNER PLAIN BLACK COOKERS

Made with cast top grids and burners. One piece welded body. All parts die stamped Armco steel. Porcelain enameled oven door and manifold panels. Lid top on Model F-4. An excellent line of compact, practical and economical cookers, which sell readily and should be in every dealer's stock.

### Specifications and Prices

#### FOUR BURNER COOKER

Height.....	32¾ in.
Cooking Top.....	18½x18½ in.
Vent Collar.....	3 in.
Oven.....	15x10½x17½ in.
Floor Space.....	24x22 in.
Weight.....	105 lbs.

#### THREE BURNER COOKER

Height.....	32¾ in.
Cooking Top.....	12½x25½ in.
Vent Collar.....	3 in.
Oven.....	15x10½x11 in.
Floor Space.....	12x24½ in.
Weight.....	75 lbs.

#### FOUR BURNER COOKER

F-4 National—Black finish, white porcelain oven door and manifold panel, with lid top.....	\$18.98
Patrol lighter, add.....	1.65


#### THREE BURNER COOKER

T-4 National—Black finish, white porcelain oven door and manifold panel, with lid top.....	\$14.85
T-5 National—Black finish, white porcelain oven door and manifold panel less lid top.....	14.03




T-5

For Manufactured, natural, propane bottled or butane piped gas. When ordering, be sure to specify type and properties of gas used, and we will adapt at factory.



No. 21-06—One Burner Hot Plate



No. 22-06—Two Burner Hot Plate



No. 33-06—Three Burner Hot Plate

## NATIONAL GAS HOT PLATES

Heavy cast iron construction. Baked Black Japan Finish.


### Specifications and Prices

No.	Burners	Height	Cooking Top	Weight	Price
21-06	1	6	10x10	8 lbs.	\$2.18
22-06	2	6	10x20	15 lbs.	3.45
33-06	3	6	10x28	21 lbs.	5.25
22-20	2	20	10x20	20 lbs.	4.80
33-20	3	20	10x28	28 lbs.	6.30

Packed in Carton



No. 22-20—Two Burner Hot Plate  
With High Legs



No. 33-20—Three Burner Hot Plate  
With High Legs





No. 6-3-W National Gas Heat Circulator

**Burners** are large, properly constructed one-piece cast burners, cored and drilled. Manifold is concealed and more sanitary than the exposed style. Gas cocks are equipped with special needle point adjuster, permitting the operator to adjust burners to all gas pressures.

Illustration in lower right hand corner shows the exact inner construction of the NATIONAL gas circulator. The long arrows indicate the air drawn from the floor that passes between the inner units and casing through top, also the air drawn from floor over the burner box top into the tubes and discharged through fretwork top.

The short arrows indicate the gas heat passing out of burner box top around the inner tubes, where it is conducted back and forth through a series of baffle plates, entering the down flues at top and traveling downward within a few inches of bottom and thence up to pipe outlet.


Illustration in center shows No. 9-3-W made up as a special unit to meet requirements and recommendations of school authorities. Designed to properly heat and ventilate schoolrooms and to comply with State Laws.

When placed in schoolrooms, heater is supplied with extra equipment listed below, consisting of fresh air duct and elbow, damper with quadrant to regulate volume of fresh air.

8x20 Fresh Air Collar	1 only 4" Collar
3 Jts. 4" Blue Pipe	1 only 4" Mitre Joint
2 only 4" Blue Elbows	1 only 9x12 B. J. Register

Fresh Air Duct, Screen and Elbow

Fresh air duct and impure air register shown are used only when placed in buildings where the law requires outside air to be taken through heater and ventilation such as in schoolrooms.



## NATIONAL GAS HEATERS

Porcelain Enameled Walnut Finish

For Manufactured or Natural Gas

The maximum and minimum gas consumption in cubic feet per hour does not mean anything. This is governed by the size orifice used and gas pressure. The important feature on a gas circulator is how many B. T. U.'s will the heater deliver from the smallest amount of gas used as fuel. The NATIONAL gas circulator will meet this requirement and is a most powerful economical heat producer.

### DESCRIPTION

**Combustion Chamber** is equipped with four, six or nine three-inch extra heavy Cop-R-Loy tubes, extending vertically through combustion chamber and connected at top and bottom with gas tight cast-iron plates. Extra heavy Cop-R-Loy side walls form the body of the combustion chamber. The Cop-R-Loy baffle plates are so attached to inside walls of combustion chamber to force the heat against all parts of the vertical tubes through which purified air passes into the room.

**Air Circulation:** The cold air is drawn from the floor, passing over and against the cast-iron burner box, then through the large Cop-R-Loy tubes, around which the heat is passed back and forth by a series of baffle plates. All gas fumes pass into the combustion chamber and circulate over and around the tubes and enter the down flues on the right and left side of combustion chamber, at the extreme top back, thence travel downward within a few inches of the bottom of heater and return upward through center back flue to the four-inch pipe outlet. This not only triples the circulation and efficiency of the heater, but also holds the flue losses down to a minimum.

**Casing** is made in four sections of extra heavy, vitreous enameling steel, beautifully grained in walnut finish, will harmonize with room furnishings. Designed with oval corners, which permit a free, unobstructed flow of air and are most sanitary and easily kept clean.



Showing Construction

### Specifications and Prices

Number	Tubes	Burners	Length Air Tubes	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
4-3-W	4	1	16	36	19 1/4	16 3/4	30000	180 lbs.	\$45.37
6-3-W	6	2	18	42 1/2	24 1/2	19	40000	231 lbs.	58.12
9-3-W	9	2	20	45	30	19	80000	280 lbs.	74.62

### Extra Equipment for 9-3-W Gas Heater

8x20 Fresh Air Collar	3.37
3 Jts. 4" Blue Pipe, per joint	.16
2 only 4" Blue Elbows, each	.15
4" Collar, each	.06
4" Mitre Joint, each	.16
9x12 B. J. Register, each	1.93
Fresh Air Duct, Screen and Elbow, each	9.75



## GAS HEATERS

### STERLING CIRCULATOR

Made from the finest quality polished sheets obtainable. The heating unit, with an extraordinary large capacity, has proven very successful. The burner is dependable, efficient and has been tested and approved. Guaranteed to give perfect satisfaction. All circulators are 35½ inches in height.

No.	Tubes	Width	B.T.U. Input under 4 oz. pressure	Weight	Price
720	16	20"	48,000	25 lbs.	\$ 9.75
724	20	24"	60,000	29 lbs.	11.25
728	24	28"	72,000	33 lbs.	12.75
720D	32	20"	96,000	36 lbs.	15.00
724D	40	24"	120,000	42 lbs.	18.75
728D	48	28"	144,000	47 lbs.	22.50

Packed Individually

### RAPIDFIRE

Asbestos fibre back gas heater, made from highest quality polished sheets. Fully trimmed with Lustronickel, giving perfect satisfaction to the user.

Nos. 324D and 328D are double units of Models 324 and 328, heating from both sides. One side may be used independently of the other.

No.	Tubes	Width	B. T. U. Input under 4 oz. pressure	Weight	Price
310	6	10"	12,000	8 lbs.	\$ 3.36
312	8	12"	20,000	11 lbs.	4.12
316	12	16"	30,000	13 lbs.	5.40
320	16	20"	44,000	16 lbs.	6.60
324	20	24"	55,000	18 lbs.	7.80
328	24	28"	66,000	21 lbs.	9.00
324D	40	24"	110,000	26 lbs.	15.00
328D	48	28"	132,000	29 lbs.	17.25

Packed Individually

### SERVICE

A popular flat top asbestos fibre back gas heater made from the best material throughout. Guaranteed to give perfect satisfaction. Nos. 924D and 928D are double units of Models 924 and 928 heating from both sides. One side may be used independent of the other.

No.	Tubes	Width	B. T. U. Input under 4 oz. pressure	Weight	Price
910	6	10"	12,000	8 lbs.	\$ 3.36
912	8	12"	20,000	11 lbs.	4.12
916	12	16"	30,000	13 lbs.	5.40
920	16	20"	44,000	16 lbs.	6.60
924	20	24"	55,000	18 lbs.	7.80
928	24	28"	66,000	21 lbs.	9.00
924D	40	24"	110,000	26 lbs.	15.00
928D	48	28"	132,000	29 lbs.	17.25


Packed Individually

### SUPREME

This asbestos fibre back gas heater is made from good materials. It is semi-trimmed with Lustronickel. Fully guaranteed to give satisfaction.

No.	Tubes	Width	Weight	Price
10	6	10"	7 lbs.	\$2.63
12	8	12"	8 lbs.	3.36
16	12	16"	9 lbs.	4.20
20	16	20"	11 lbs.	5.10
24	20	24"	13 lbs.	6.00

Packed two in carton





## GAS HEATERS



## HEARTH-GLO GAS HEATERS


Designed in the modern manner. Black and Chrome Finish. Glazed Fire Clay top. A.G.A. approved. Efficient Hearth-Glo Burner. No. M-110 has five and No. M-112 six double radiants.

No.	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
M-110	19 $\frac{3}{4}$ "	17"	9 $\frac{1}{2}$ "	20,000	35 lbs.	\$ 8.25
M-112	19 $\frac{3}{4}$ "	19 $\frac{3}{4}$ "	9 $\frac{1}{2}$ "	24,000	40 lbs.	10.20

## HEARTH-GLO GAS HEATER

A cabinet heater of modern design at a low price. Through the curved chromium grille, the heat is evenly distributed to all parts of the room. Valve and fittings are concealed, making an attractive piece of furniture the year around. A.G.A. approved. Efficient Hearth-Glo Burner.

No.	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
J-300	24 $\frac{1}{8}$ "	25 $\frac{3}{4}$ "	12 $\frac{5}{8}$ "	30,000	40 lbs.	\$12.15



## HEARTH-GLO GAS HEATER

Blue flame burner and directed heat flow are also featured in this compact cabinet model with chromium legs and grille. A.G.A. approved. Efficient Hearth-Glo Burner.

No.	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
J-200	24 $\frac{1}{8}$ "	18"	12 $\frac{5}{8}$ "	20,000	31 lbs.	\$10.20

## HEARTH-GLO GAS HEATERS


A distinctive heater for small rooms. Black and chrome finish. A.G.A. approved. No. BF-12 has cast iron burner equipped with air mixer—produces a short blue flame of intense heat. No. C-12 has a luminous flame burner—produces a long yellow flame—burns all the gas 100% efficiently. Does not require air-mixer.

No.	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
BF-12	14 $\frac{1}{2}$ "	12 $\frac{1}{4}$ "	6 $\frac{3}{4}$ "	12,000	12 lbs.	\$4.50
C-12	14 $\frac{1}{2}$ "	12 $\frac{1}{4}$ "	6 $\frac{3}{4}$ "	12,000	11 lbs.	4.05





## GAS HEATERS



## HEARTH-GLO GAS HEATER

Period Design. Finished in Rich Two-Tone Brass. Heavy clay backwall. Cast iron construction throughout. A.G.A. approved. Efficient Hearth-Glo Burner. Five double radiants.

No.	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
P-110	24"	27"	11"	20,000	60 lbs.	\$18.15

## HEARTH-GLO GAS HEATERS

Colonial Design. Brushed Brass Finish. An attractive heater at a very reasonable price. A.G.A. approved. Efficient Hearth-Glo Burner. No. R-110 has five and No. R-112 six double radiants.


No.	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
R-110	22"	25"	8½"	20,000	50 lbs.	\$12.75
R-112	22"	27¾"	8½"	24,000	60 lbs.	15.00



## HEARTH-GLO GAS HEATERS

An attractive new design. Cast iron trim in Brushed Brass. Clay backwall. A.G.A. approved. Efficient Hearth-Glo Burner. No. T-110 has five and No. T-112 six double radiants.


No.	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
T-110	20¾"	23"	8"	20,000	44 lbs.	\$12.30
T-112	20¾"	25¾"	8"	24,000	49 lbs.	14.25



## HEARTH-GLO GAS HEATERS


One of our most popular designs. Clay backwall. Chromium hearth plate. Brown and Bronze Finish. A.G.A. approved. Efficient Hearth-Glo Burner. No. O-108 has four, No. O-110 five and No. O-112 six double radiants.

No.	Height	Width	Depth	B.T.U. Per Hour	Weight	Price
O-108	19¼"	20¼"	8"	16,000	35 lbs.	\$10.35
O-110	19¼"	23"	8"	20,000	40 lbs.	11.25
O-112	19¼"	25¾"	8"	24,000	45 lbs.	13.35





## EVERPURE Conditioned Air Refrigerators



Everpure Multa-Draft

### Multa-Draft Provides Convenience with Economy—Cold Alone is Not Enough

Low temperature alone is not sufficient to properly preserve foods.

Circulation of conditioned air within the refrigerator is as important as the proper degree of cold.

Humidity is equally as important—to keep foods safe, fresh and tasty.

EVERPURE engineers have designed in this new model, the very latest in thorough and economical food preservation plus its new, exclusive re-icing feature. Regardless of room temperatures, an average temperature of 45 to 50 degrees and humidity of from 60 to 70% is constantly maintained in the food chamber of this beautiful, streamlined refrigerator.

Substantially constructed of rust-resisting galvanized steel with the famous Dupont's DULUX Finish and heavy approved sealed insulation are features that make Everpure the most desirable refrigerator for modern homes today!

### General Specifications

Galvanized and rust resisting galvanized steel rerolled for surface smoothness and with paint grip surface used exclusively for inside and outside case. No more rusting troubles.

The food chamber floor is porcelain with rounded corners.

The finish is Dupont's White Dulux high baked two coat finish with polished surface, considered the finest metal finish obtainable.

The framing is odorless Wisconsin hardwood properly air seasoned and kiln dried.

The insulation is Armstrong Cork and Insulation Company's efficient Glass Wool properly sealed.

The hardware is brass snap catch action with polished chrome finish, preventing all rusting even under continual moisture.

Door openings are insulated with Bakelite and Sanilite breaker strips.

The removable shelves are new banjo type with rust resisting retinned finish.

Aluminum drain pipe and glass trap and seal are easily removed for cleaning.

New Multa-Draft circulation with tubular ice grid provides ample circulation of cold conditioned air, both over, under and around the ice cake.

New Tubular Grid, side and back air circulation baffle, grid support and drip pan are all removable for easy cleaning.

The refrigerator with many drafts of circulation, humidified, washed and purified air travelling under, around and over the ice.

The improved tubular grid keeps and uses the melted ice water longer thereby doing a more thorough job of washing and cooling with the same amount of ice.

## It's New! It's New! The Everpure MULTA-DRAFT

The refrigerator with **many** cold drafts of circulating, humidified, washed, purified air traveling under, around and over the ice. In addition to this Multa-Draft principle the improved tubular grid suspends the beads of water on the under side of the grid tubes longer, thereby doing a more thorough job of washing and cooling with the same amount of ice. This super method of circulation, air-conditioning and washing is unsurpassed in refrigeration and provides the low, properly humidified temperatures demanded today.





## EVERPURE Conditioned Air Refrigerators



EM-25

### MODEL EM-25

#### Specifications

Rated ice capacity.....	80 lbs.
20 $\frac{1}{4}$ " Wide. 20 $\frac{1}{4}$ " Deep. 47" High. 50 lb. Re-icer.	
Number of shelves.....	3
Rated shelf area.....	4.6 sq. ft.
Usable storage space.....	2.5 cu. ft.
Porcelain floor in food chamber.	
Crated Weight 150 lbs.	
2" approved insulation.	
Made with inner ice chamber door.	
Price.....	\$42.60

### MODELS EM-30-41-51

**EM-30**—23" wide, 21" deep, 50" high. Rated ice capacity 95 lbs. 75 lb. re-icer. 3 shelves. 5.6 sq. ft. of shelf area, 3 cu. ft. of food storage capacity. Crated weight 180 lbs. 2" approved insulation.

Price.....\$49.20

**EM-41**—27 $\frac{1}{2}$ " wide, 22" deep, 51" high. Rated ice capacity 135 lbs. 100 lb. re-icer. 3 shelves. 6.9 sq. ft. of shelf area. 4 cu. ft. food storage capacity. Crated weight 210 lbs. 2" approved insulation.

Price.....\$56.85

**EM-51**—28 $\frac{1}{2}$ " wide, 22 $\frac{1}{2}$ " deep, 55 $\frac{1}{4}$ " high. Rated ice capacity 135 lbs. 100 lb. re-icer. 4 shelves. 9.4 sq. ft. of shelf area. 5 cu. ft. of food storage capacity. Crated weight 230 lbs. 2 $\frac{1}{2}$ " approved insulation.

Price.....\$61.95


All made with Porcelain Floor in food chamber.



EM-51



## EVERPURE Conditioned Air Refrigerators



EM-55

### DE LUXE MODELS EM-55-60

**EM-55**—29½" wide, 23" deep, 57½" high. Rated Ice capacity 135 lbs. 100 lb. re-icer. 4 shelves. 9.4 sq. ft. of shelf area. 5 cu. ft. food storage capacity. Crated weight 265 lbs. 3" approved insulation.

Price.....\$71.10

**EM-60**—30½" wide, 24" deep, 60½" high. Rated ice capacity 135 lbs. 100 lb. re-icer. 4 shelves. 10 sq. ft. of shelf area. 5.8 cu. ft. food storage capacity. Crated weight 285 lbs. 3½" approved insulation.

Price.....\$78.90

Both made with Porcelain Floor in food chamber.

Base front is hinged for use with drip pan.

Vegetable basket standard equipment.


### DE LUXE MODEL EM-80

#### Specifications

43" Wide. 24¾" Deep. 61½" High  
Ice capacity.....150 to 225 lbs...  
150 lb. Re-icer.

Number of shelves.....5  
Rated shelf area.....14 sq. ft.  
Usable storage space.....8 cu. ft.  
Crated weight.....430 lbs.  
3½" approved insulation. Porcelain floor.


Price.....\$123.15



EM-80



## EVERPURE Conditioned Air Refrigerators



E-205

### MODEL E-205

#### Specifications

53 $\frac{3}{4}$ " Wide,	33 $\frac{3}{4}$ " Deep,	72 $\frac{1}{4}$ " High
Ice capacity.....		300 lbs.
200 lbs. Re-icer.		
Number of shelves.....		8
Rated shelf area.....		38 sq. ft.
Usable storage space.....		20.5 cu. ft.
Crated weight.....		1100 lbs.
3" approved insulation. Porcelain floor.		

Now furnished with white base.

Price.....\$288.30

### MODEL E-330

#### Specifications

60" Wide,	30" Deep,	75" High
Ice capacity.....		300 lbs.
Number of shelves.....		5
Rated shelf area.....		31.5 sq. ft.
Usable storage space.....		33 cu. ft.
Crated weight.....		1200 lbs.
3" approved insulation. Porcelain floor.		

Now furnished with white legs.

Price.....\$311.70



E-330



## Sanitary Performance Refrigerators

### NEW SANITARY PERFORMANCE REFRIGERATORS

The Best of Materials, Insulation and Finish  
all incorporated in Sanitary 1937 Performance  
Line.

#### SPECIFICATIONS

Rust resisting galvanized steel rerolled for surface smoothness and with paint grip surface used exclusively for inside and outside case. No more rusting troubles.

The finish is Dupont's White Dulux high baked two coat finish, considered the finest finish for metal obtainable.

One half inch of Armstrong Cork and Insulation Company's efficient "Temlok" insulation is grooved into the solid odorless hardwood complete framing, keeping the cold in and the heat out and adding to the structural strength of the cabinet. One inch of Armstrong's efficient Glass Wool is placed next to the "Temlok", filling out completely the space to the outer steel wall and making, we believe, the best insulated medium priced household refrigerator ever offered to the trade.

The hardware is rust proof brass, of attractive streamlined design, all finished in the finest chrome, preventing all rusting, even under continual moisture.

Masonite breaker strip insulated bottom rail of ice chamber door opening, minimizing condensation on cross rails in damp weather.

The removable shelves are straight bar type with rust resisting retinned finish.


Drain pipe with glass trap and seal are both easily removed for cleaning.

Dependable center flue circulation with raised ice rack insures rapid circulation of cold dry air.

Green and ivory finish (not Dulux) will be supplied on special order at 30c per refrigerator net additional.

Shipped with leg base detached to reduce freight expense.

These specifications apply to all models on this and opposite page except Nos. 43 and 63.



Ice Refrigeration Sales Increased over 25% in 1936


### Study this Amazing Record!

Air Conditioned Ice Refrigerators established new sales records for 1936 with an increase of 22% over 1935. Ask yourself did you get your share of this increased business? If not, investigate the growing profitable market for quality Ice Refrigerators, and arrange to stock and push the old reliable Sanitary Line, which has been entirely rebuilt to again place the furniture, hardware and department store merchant in a favorable position to regain their share of this business.

An enlarged National Advertising and Radio Program at the cost of over \$700,000.00 will be carried on by the Ice Industry and Ice Refrigerator Manufacturers during 1937 season. This program begins in December so get a stock of improved, heavily insulated, properly finished Sanitary Ice Refrigerators on your sales floor early. We will assist you by extending spring invoice dating on all early stock order shipments.

Experienced dealers know that early purchases of Ice Refrigerators are the most profitable stock as prices always advance during the spring heavy shipping season.

We operate our plant all year around and will continue to offer unusual values to dealers who co-operate with us by accepting shipment at our convenience as soon as the stock of new patterns are ready.



Top Icers



Overhead Two Door Icers

No.	Size Overall	Ice Cap.	Shelves	Storage Space	Weight	Price	No.	Size Overall	Ice Cap.	Shelves	Storage Space	Weight	Price
24	17 1/4 x 15 1/4 x 39 1/4	45 lbs.	2	1.3 cu. ft.	85 lbs.	\$20.25	32	20 1/4 x 16 3/4 x 44 1/4	75 lbs.	2	2.1 cu. ft.	100 lbs.	\$24.15
29	22 1/4 x 18 3/4 x 41 1/4	80 lbs.	2	2.4 cu. ft.	120 lbs.	23.85	33	27 x 19 1/4 x 46 3/4	125 lbs.	2	4. cu. ft.	140 lbs.	29.70



## Sanitary Performance Refrigerators




Single Door Icers

No.	Size Overall	Ice Cap.	Shelves	Storage Space	Weight	Price
57	21 $\frac{1}{2}$ x17 $\frac{1}{2}$ x44 $\frac{1}{4}$	80 lbs.	2	2.1 cu. ft.	120 lbs.	<b>\$25.80</b>
59	25 x19 $\frac{3}{4}$ x48 $\frac{3}{4}$	110 lbs.	2	4.5 cu. ft.	155 lbs.	<b>29.85</b>



Three Door Side Icers

No.	Size Overall	Ice Cap.	Shelves	Storage Space	Weight	Price
47	25 $\frac{3}{4}$ x15 $\frac{5}{8}$ x38 $\frac{1}{4}$	40 lbs.	3	2.6 cu. ft.	110 lbs.	<b>\$25.80</b>
67	29 x15 $\frac{7}{8}$ x41 $\frac{1}{2}$	65 lbs.	4	3.2 cu. ft.	120 lbs.	<b>28.35</b>
87	30 $\frac{1}{2}$ x17 $\frac{7}{8}$ x43 $\frac{1}{2}$	85 lbs.	4	4.2 cu. ft.	140 lbs.	<b>31.20</b>
107	30 $\frac{3}{4}$ x18 $\frac{5}{8}$ x47	105 lbs.	4	4.9 cu. ft.	160 lbs.	<b>33.15</b>



## Leader Two Door Side Icer Models

Not "Performance" Models

Lower priced refrigerators offered for temporary use. These patterns have one coat ordinary enamel finish, steel chrome finished hardware and  $\frac{1}{2}$  inch of Temlok Insulation. Finished in white enamel, but can be furnished in green and ivory enamel finish at 30c per refrigerator net additional.

No.	Size Overall	Ice Capacity	Shelves	Storage Space	Weight	Price
43	25 $\frac{3}{4}$ x15 $\frac{5}{8}$ x38 $\frac{1}{4}$	40 lbs.	3	2.5 cu. ft.	100 lbs.	<b>\$23.85</b>
63	29 x15 $\frac{7}{8}$ x41 $\frac{1}{2}$	65 lbs.	4	3.2 cu. ft.	110 lbs.	<b>26.70</b>



## AMERICAN BEAUTY WASHERS



## MODEL 135

(With electric pump Model 135P)

**Tub**—Large glistening WHITE with four horizontal baffle-wave corrugations.  
**Capacity**—8 sheets—23 in. diameter.  
**Gyrator**—New TRIPLEX No. 3—four vanes, aluminum—spray perforations.  
**Wringer**—Extra heavy duty, cast aluminum frame, pressure-cleanser balloon rolls. "Easy-Touch" with SAFETY release. Self-reversing automatic enclosed drain.  
**Motor**—Westinghouse—50% oversize.  
**Finish**—Tub, Skirt, Wringer—WHITE. Trim black.  
**Weight**—215 lbs. crated.

No. 135—Price.....\$ 83.75

No. 135P—Price..... 92.57

No. 135G—Equipped with 4 cycle Briggs &amp; Stratton gasoline Motor—Price..... 113.75



## MODEL 130


(With electric pump Model 130P)

**Tub**—Full size IVORY stippled white with four horizontal baffle-wave corrugations.  
**Capacity**—7 sheets—22 in. diameter.  
**Gyrator**—New TRIPLEX No. 3—four vanes, aluminum—spray perforations.  
**Wringer**—Extra heavy duty, cast aluminum frame, pressure-cleanser balloon rolls. "Easy-Touch" with SAFETY release. Self-reversing automatic enclosed drain.  
**Motor**—Westinghouse—50% oversize.  
**Finish**—Tub, Skirt, Wringer—IVORY. Trim red.  
**Weight**—210 lbs. crated.

No. 130—Price.....\$ 74.93

No. 130P—Price..... 83.75

No. 130G—Equipped with 4 cycle Briggs &amp; Stratton gasoline Motor—Price..... 104.93



## AGITATOR No. 3

New TRIPLEX 4 high vane agitator. Increased turbulence, "air-and-water" cleansing action, and the fact that the new design agitator washes clothes the FULL DEPTH of the tub gives the WORLD'S FINEST WASHING ACTION.



## AGITATOR No. 2

Here is the new TRIPLEX 3 high vane agitator. Also an aluminum tapered-post job, designed to wash clothes thoroughly—top, middle, and bottom positions in the tub. One of the big reasons why competitive tests prove AMERICAN BEAUTY "Easiest in the World on Clothes".



## MODEL 120

(With electric pump Model 120P)

**Tub**—Full size IVORY stippled white with four horizontal baffle-wave corrugations.  
**Capacity**—7 sheets—22 in. diameter.  
**Gyrator**—New TRIPLEX No. 2—three vanes, aluminum—spray perforations.  
**Wringer**—Extra heavy duty, cast frame. Pressure-cleanser balloon rolls. "Easy-Touch" with SAFETY release. Self-reversing automatic enclosed drain.  
**Motor**—Westinghouse—50% oversize.  
**Finish**—Tub, Skirt, Wringer—IVORY. Trim red.  
**Weight**—205 lbs. crated.

No. 120—Price.....\$67.46

No. 120P—Price..... 76.46

No. 120G—Equipped with 4 cycle Briggs &amp; Stratton gasoline Motor—Price..... 97.46



# AMERICAN BEAUTY WASHERS



AGITATOR No. 1

This 3-vane tapered-post, cast aluminum agitator is designed for quick, efficient washing action. Superior to agitators found in many high-priced models of other makes.

## SPECIFICATIONS MODEL 110

(With electric pump Model 110P)

**Tub**—Full size GREEN with four horizontal baffle-wave corrugations. DOUBLE WALL "HEAT-RETAINING".  
**Capacity**—6 sheets—22 in. diameter.  
**Gyrator**—New TRIPLEX No. 2—three vanes, aluminum—spray perforations.  
**Wringer**—Heavy frame. Pressure-cleanser balloon rolls. Push-bar "SAFETY" release. Self-reversing automatic enclosed drain.  
**Motor**—Westinghouse—50% oversize.  
**Finish**—Tub—green; skirt and wringer—ivory. Trim, red.  
**Weight**—200 lbs. crated.  
**No. 110**—Price.....\$60.00  
**No. 110P**—Price..... 69.00  
**No. 110G**—Equipped with 4 cycle Briggs & Stratton gasoline Motor—Price..... 90.00



MODEL 105

## SPECIFICATIONS MODEL 115

(With electric pump Model 115P)

**Tub**—Full size IVORY stippled white, with four horizontal baffle-wave corrugations.  
**Capacity**—7 sheets—22 in. diameter.  
**Gyrator**—New TRIPLEX No. 2—three vanes, aluminum—spray perforations.  
**Wringer**—Extra heavy duty, steel frame. Pressure-cleanser balloon rolls. "Easy-Touch" with SAFETY release. Self-reversing automatic enclosed drain.  
**Motor**—Westinghouse—50% oversize.  
**Finish**—Tub, Skirt, Wringer—IVORY. Trim black.  
**Weight**—195 lbs. crated.  
**No. 115**—Price.....\$60.41  
**No. 115P**—Price..... 69.71  
**No. 115G**—Equipped with 4 cycle Briggs & Stratton gasoline Motor—Price..... 90.41



MODEL 110



MODEL 115

## SPECIFICATIONS MODEL 100

**Tub**—Full size BLACK corrugated.  
**Capacity**—6 sheets—22 in. diameter.  
**Gyrator**—No. 1—three vanes, cast aluminum.  
**Wringer**—Pressed steel, pressure-cleanser balloon rolls. Instant safety release.  
**Motor**—Westinghouse—50% oversize.  
**Finish**—Tub—black; Skirt and Wringer—green.  
**Weight**—180 lbs. crated.  
**Price**.....\$44.94

## SPECIFICATIONS MODEL 105

(With electric pump Model 105P)

**Tub**—Full size GREEN with four horizontal baffle-wave corrugations.  
**Capacity**—6 sheets—22 in. diameter.  
**Gyrator**—New TRIPLEX No. 2—three vanes, aluminum—spray perforations.  
**Wringer**—Heavy frame, pressure-cleanser balloon rolls. Instant release. High sides, automatic drain.  
**Motor**—Westinghouse—50% oversize.  
**Finish**—Tub, Skirt and Wringer—green.  
**Weight**—185 lbs. crated.  
**No. 105**—Price.....\$55.64  
**No. 105P**—Price..... 65.76  
**No. 105G**—Equipped with 4 cycle Briggs & Stratton gasoline Motor—Price..... 85.64



MODEL 100



## OIL STOVE WICKS

## LORAIN OIL STOVE WICKS



The Lorain Wick is made especially for use with the efficient Lorain Burner. Only Lorain Wicks should be used with Oil Stoves equipped with Lorain Burners. It is closely woven of highest grade cotton and is extra heavy in weight. It burns with a steady flame, seldom requires trimming and gives extra long service. Full directions on how to remove old and insert new wick in burner are printed on each carton. Entire length of wick, 4 inches. Length of perforated wick carrier, 2½ inches. Outside diameter of wick, 2¾ inches. Packed in individual cartons.

Lorain Wicks are suitable for use with the following Oil Stoves if they are equipped with Lorain Burners.

Adelphia	Liberty	O. K.
Andes	Loth's Oil Saver	Quick Meal
Caloric	Milwaukee	Red Cross
Cameron	Model	Richmond
Clark Jewel	Mohaco	Rose Mary
Dangler	Monarch	Saint Louis
Delco	Mon De Lice	Simmons
Direct Action	New Departure	Sterling-Service
Dixie Enterprise	New Peerless	Stewart
For Every Home	New Process	The Harwi
Happy Thought	New Sterling	The Mize
Haverty's Blue Flame	New Taylor	Tip Top
Haws	New Wesco	Weedco
Hot Spot	New X L C R	Wesco
Household	Novelty	Whitehouse

Lorain—Less than dozen lots, per dozen.....	Price \$3.15
Dozen lots, per dozen.....	3.00
Half gross lots, per gross.....	34.50
Gross lots, per gross.....	33.75



## No. 04—MONARCH OIL STOVE WICKS

This style wick was used on all Monarch and Dangler Wick Oil Cook Stoves made in 1912. While resembling wick used in later patterns, it will not fit owing to size. Entire length, 4½ inches. Outside diameter, 3½ inches. Length perforated tube, 3½ inches. Packed ½ Dozen in Carton.

No. 04—Less than dozen lots, per dozen.....	Price \$3.15
Dozen lots, per dozen.....	3.00
Half gross lots, per gross.....	34.50
Gross lots, per gross.....	33.75

## GENUINE PERFECTION WICKS



Made of a special weave of cotton wicking of proper texture for proper capillary of oil to burning surface and even charring for good flame. Drawn metal carriers, held within a tolerance of .010 inch, insuring proper operation in tubes. Perforations mesh properly with ratchet wheel. Burned off evenly to correct sloping edge. Entire length 3½ in. Circumference No. 331, 3¼ in. No. 441, 4¼ in. No. 331 is used in all Perfection and Puritan oil cook stoves and ranges and Nos. 411 and 412 Perfection and No. 405 Puritan Water Heaters. No. 441 Giant Wick in Giant Superflex Burners in the 330 line of Perfection cook stoves and in Nos. 421 and 431 Perfection Water Heaters. No. 331 packed 1 doz.; No. 441 ½ doz. in carton.

No. 331—Less than dozen lots, per dozen.....	Price \$3.72
Dozen lots, per dozen.....	3.57
Gross lots, per gross.....	40.80
No. 441—Less than dozen lots, per dozen.....	Price \$6.77
Dozen lots, per dozen.....	6.61
Gross lots, per gross.....	75.60

## No. 018—MONARCH OIL STOVE WICKS



Made of high-grade cotton and burns with an even flame. Blue Bird Wicks cost no more than inferior grades of wicks and are guaranteed to give entire satisfaction. They fit perfectly the Oil Stoves listed below. Packed in individual cartons with full instructions on each carton for removing old and inserting new wick in burner. Entire length of wick, 3¾ inches. Length of perforated wick carrier, 2½ inches. Outside diameter of wick, 3½ inches.

Blue Bird Wicks are suitable for use with following Oil Stoves, if they are not equipped with Lorain Burners.

Adelphia	Liberty	O. K.
Andes	Logan	Pacific
Cameron	Lorain	Paragon
Clark Jewel	Lyons 500	Paris Queen
Chesgold	Maynard	Pearl
Columbia	Merit	Peerless
Crescent	The Miller	Perfect
Dangler	Mission	Perfect Action
Doc & Bill	Model	Premier
Dreadnaught	Monarch	Quick Action
Empress	Monogram	Quick Meal
Enterprise	National	Reliable
Famous	New Departure	Scoville
Favorite	New Globe	Simmons
Good Service	New Monarch	Sterling
Good Will	New Peerless	Sterling Service
Handy	New Saville	Stewart
Harwi	New Standard	Superior
Home	New Taylor	Universal
Household	New X L C R	Weedco
Ideal	Novelty	White House
Kitchen Queen	Oakwood	Windsor
Leader		Wonder

No. 018—Less than dozen lots, per dozen.....	Price \$3.15
Dozen lots, per dozen.....	3.00
Half gross lots, per gross.....	34.50
Gross lots, per gross.....	33.75

## No. 30—GIANT KEROGAS WICKS



Giant Kerogas Wicks are identical in construction to regular Kerogas Wicks, except for size and are intended for all stoves equipped with Giant Kerogas Burners.

Entire length, 3½ inches. Length perforated tube, 2½ inches. Outside Diameter, 4½ inches.

Following are stoves that are equipped with Giant Kerogas Burners, requiring No. 30 Giant Kerogas Wicks:

Alcazar Giant	Giant Michigan
American Home Giant	Giant Moshannon
Bibb's Giant Kerogas	Giant Neverfail
Buck's Giant	Giant New Hartford
Central City Giant	Giant Oil King
Crown Giant	Giant O-Tex
Giant Bee Kay	Giant Old Honesty
Giant Best Yet	Giant Pagoma
Giant Blulite	Giant Peerless
Giant Bon Ami	Giant Perfect
Giant Champion	Giant Powhatan
Giant Clipper	Giant Queen
Giant Conron	Giant Rose Bloom
Giant Crown	Giant Semco
Giant Diamond	Giant Spark
Giant Drake	Giant Standard
Giant Eureka	Giant Sterling
Giant Good Service	Giant Stilbeter
Giant Gweco	Giant Stratford
Giant Hackett	Giant Sunshine
Giant Harvard	Giant Superior
Giant Hot Blaze	Giant Texoma
Giant Hawkeye	Giant Telco
Giant Haw's Pride	Giant Tiki
Giant Helmet	Giant Union Kerogas
Giant Hibbard	Giant Triumph
Giant I X L	Giant Washington
Giant Kay Bee	Giant Wedgeway
Giant Kerogas	Giant Wood
Giant King Bee	Mammoth Blue Ribbon
Giant Kitchen Queen	S. & Q. Giant Kerogas
Giant Leader	Tenk's Safety Giant
Giant Lik-Gas	Weber's Giant
Giant Mando	

No. 30—Less than dozen lots, per dozen.....	Price \$5.85
Dozen lots, per dozen.....	5.70

## No. 20—KEROGAS WICKS



Woven from selected cotton yarn, at same factory in which burners are made. Uniform in size and shape, insuring easy insertion and removal from burner. Wicks are charred on a special machine, which assures the user of an even flame right from the start. Mounted on one piece, seamless metal carrier. Entire length, 3½ inches. Length perforated tube, 2¾ inches. Outside diameter, 3½ inches. Packed in individual cartons.

Following list shows stoves equipped with regular Kerogas Burners, for which No. 20 Wick is intended:

Acme	Household	Quick Easy
Ajax	House Hasson	Ravelo
Alcazar	Hughton	Regent
American	Ideal	Reliable
American Home	Improved Thelco	Reliance
Banner	Indiana	Resco
Bee Kay	Joaquin	Rey XII
Best Yet	Kay Bee	Richware
Bibb's Kerogas	Keenest Ever	Rose Bloom
Blue Grass	Kerogas	Rev-o-noc
Blulite	King Bee	Safety First
Blue Ribbon	Kitchen Queen	Sales Delight
Blue Ridge	La Inglass	Semco
Bon Ami	Leader	Service & Quality
Buck's	Lee's Leeder	S. & Q. Kerogas
Buhl	Liberty	Silver King
Carolina	Lightning	Simplex
Casa Aquera	Lik-gas	Spark
Central City	Lone Star	Splendid
Champion	Phil Levy & Co.	Standard
Charter Oak	Lyons 500	Stanfield's Pride
Chester	Magic	Sterling
Clipper	Mando	Stilbeter
Clover Leaf	Mark of Merit	Stratford
Comfort	Mars	Stratton
Conron	Marshall-Wells	Superb
Coral	Marvel	Success
Corona	Maynard	Sunset
Crown	McClary's	Sunshine
Delight	Michigan	Superior
Diamond	Miller's Diamond	Supreme
Dixie	Model	Tenk's
Drake	Mo-Du-Ry	Tenk's Safety
Economic	Mohawk	Texoma
Economy	Monarch	Thelco
Wm. Enders	Monitor	The Best
Ensign	Monogram	Tilaco
Enterprise	Morgan's Best	Tiki
Eureka	Morhand	Tredway's
Faultless	Moshannon	Wizard
Fones	Neverfail	Tried True
Frontier	New Blue Ribbon	Tri State
Full Value	New Enterprise	Triumph
Glassco	New Hartford	Union
Glenwood	New Home	Union Kerogas
Good Service	Norval	Utility
Grand	Oil King	Venus
Gweco	Old Honesty	Vinton
Hackett	O-Tex	Vulcan
Hartford	Pacific	Wanamaker
Harvard	Pagoma	Washington
Hawkeye	Paragon	Weber's Imperial
Haw's Pride	Peerless	Wedgeway
Helmet	Perfect	Western
Hibbard	Pioneer	Witte I X L
Hibbard Pride	Powhatan	Winner
H. H. H.	Queen	Wonder
Hot Blaze	Quick Action	Wyeth
		X L C R

No. 20—Less than dozen lots, per dozen.....	Price \$3.52
Dozen lots, per dozen.....	3.37
Half gross lots, per gross.....	3.23
Gross lots, per gross.....	36.00

## ASBESTOS WICK RINGS



Made from asbestos paper, held in position by perforated screen on each side of paper. Will fit all Monarch and Dangler Wickless oil stoves and almost all other wickless oil stoves. Diameter, 3½ in. Width 1 in. Packed in bulk.

No. 3—Less than dozen lots, per dozen.....	Price .97
Dozen lots, per dozen.....	.90
Half gross lots, per gross.....	9.75
Gross lots, per gross.....	9.00



## OIL STOVE WICKS

## No. 1—OIL AIR WICKS



Outside diameter, 3 3/8 in.

Made of superior quality cotton and mounted in accurately perforated metal carriers. They are ironed on hot mandrels, leaving surfaces perfectly smooth and free from wrinkles. Tops are singed to remove all loose threads. Expert manufacturing and careful inspection insure their uniformity and successful operation in any of the stoves listed below. Entire length, 3 3/4 inches. Length perforated tube, 2 1/2 inches. Packed in individual cartons.

Acme	Jersey	Pioneer
Air O'Flame	Joaquin	Polar
Ajax	Kanute	Powhatan
Alligator	Kaybee	Princess
American	Keenest Ever	Queen
American Home	Kerogas	Quick Action
Banner	King Bee	Quick Easy
Bee Kay	Kitchen Queen C	Ravelo
Best Yet	La Inglass	Regent
Bibb's Kerogas	Leader	Reliable
Blue Belle	Lee's Leader	Reliance
Blue Grass	Liberty	Revenoc
Blue Lite	Liberty Bell	Resco
Blue Ribbon	Ligas	Rey XII
Blue Ridge	Lightning	Rich-Con
Bon Ami	Levy, Phil & Co.	Richware
Boss	Lone Star	Rose Bloom
Buck's	Lyons 500	S. & Q. Kerogas
Buhl	Magic	Safety
Capital	Mando	Safety First
Carolina	Mansion	Sales Delight
Casa Aquera	Mark of Merit	Saville
Central City	Mars	Semco
Champion	Marshall-Wells	Service & Quality
Charter Oak	Marvel	Silver King
Chester	Maynard	Simplex
Clark's Sterling	McClary's Bon	Somerset
Classic	Ami	Spark
Clipper	McConnel	Spencer Diamond
Clover Leaf	Michigan	Splendid
Coleman	Miller	Standard
Colonial	Miller Diamond	Stanfield's Pride
Comfort	McDully	Sterling
Conron	Model	Still Better
Coral	Modury	Stratford
Corona	Mohawk	Stratton
Crescent	Monarch	Success
Crown	Monitor	Sunbeam
Darling	Monogram	Sunset
Delight	Morhand	Sunshine
Delmar	Morgan's Best	Superb
Diamond	Moshannon	Supreme
Dixie's	Never Fail	Tenk's
Drake	New Blue Ribbon	Tenk's Safety
East Wood	New Enterprise	Texoma
E. & B. Special	New Hartford	The Best
Economic	New Home	Thelco
Economy	New Mars	Tiki
Enders, Wm.	Norval	Tilaco
Ensign	Oil-Air	Tredway's
Enterprise	Oil King	Wizard
Eureka	Pacific	Tried True
Faultless	Pagoma	Tri State
Fones	Paragon Nos. 141,	Triumph
Frontier	241, 341, 441.	Two-Bees
Full Value	Peerless	Union
Gem	Perfect	Union Kerogas
Genesee	For 1910—Nos.	Utility
Giele's Best	14, 24, 34.	Venus
Classico	For 1911—Nos.	Vinton
Good Service	141, 241, 341.	Vulcan
Gweco	For 1912, 1913,	Wanamaker
Hackett	1914—Nos.	Washington
Hardin's Kerogas	142, 242, 342,	Wedgeway
Hartford	442.	Weber's Imperial
Harvard	For 1915—Nos.	Western
Hawkeye	152, 252, 352,	Witte Hdwe.
Haw's Pride	452, 552.	Co. I X L
Helmet	For 1916—Nos.	Wincroft
Hibbard	162, 262, 362,	Wizard
H. H. H.	462, 562.	Wm. Enders
Hi Blaze	For 1917—Nos.	Wonder
House Hasson	172, 272, 372,	Wyeth
Hughton	472, 572.	Yale
Ideal	For 1918-1919,	Zadok
Improved Thelco	1920, 1921—	
Indiana	Nos. 182, 282,	
	382, 482, 582.	

No. 1—Less than dozen lots, per dozen.....	\$ 3.37
Dozen lots, per dozen.....	3.22
Half gross lots, per gross.....	38.25
Gross lots, per gross.....	37.50

## NESCO ROCKWEAVE WICKS



Reversible and easily removed for cleaning. Width 1 1/2 inches. Diameter of No. 2122 is 3 1/2 inches, and No. 2662, 5 inches. Packed 1 dozen in carton.

No. 2122—Less than dozen lots, per dozen.....	\$ 3.15
Dozen lots, per dozen.....	3.00
Half gross lots, per gross.....	35.25
Gross lots, per gross.....	34.50
No. 2662—Less than dozen lots, per dozen.....	\$ 4.95
Dozen lots, per dozen.....	4.80
Half gross lots, per gross.....	57.00
Gross lots, per gross.....	56.25

## FLORENCE ASBESTOS KINDLERS



Intended for all Florence Automatic Oil Cook Stoves made in the year 1918 and since. Made of asbestos paper, fitted into tin collar. No. 133A intended for regular burners is 4 inches in diameter and No. 205A for stoves equipped with giant burners is 5 inches in diameter. Width, 1 1/4 inches. Packed one half dozen in carton.

No. 133-A—Less than dozen lots, per dozen.....	\$ 1.05
Dozen lots, per dozen.....	.90
Half gross lots, per gross.....	10.50
Gross lots, per gross.....	10.12
No. 205-A—Less than dozen lots, per dozen.....	\$ 1.50
Dozen lots, per dozen.....	1.35
Half gross lots, per gross.....	15.60
Gross lots, per gross.....	15.22


## RELANCE OIL STOVE KINDLERS



Made from two strips of asbestos paper with a sheet steel reinforcement. Intended for all Florence Reliance Table Stoves. Diameter, 3 3/8 inches. Width, 1 inch. Packed one half dozen in carton.

No. RS5—Less than dozen lots, per dozen.....	\$ 1.05
Dozen lots, per dozen.....	.90
Half gross lots, per gross.....	10.50
Gross lots, per gross.....	10.12


## EVERITE LIGHTING RINGS



Made of asbestos, of uniform size and shape, making them easy to insert and remove. No. 133 Bestove Wire Woven Lighting Ring is intended for Everite Regular Size Burners, No. 233 for Everite Giant Burners, No. 220 for Nos. 210 and 110 Kerogas Hot Blast Heaters and No. 145 for Nos. 207, 115 and 135 Kerogas Hot Blast Heaters. Packed one dozen in box.

No. 133—Dozen lots, per dozen.....	\$ 1.12
No. 233—Dozen lots, per dozen.....	1.50
No. 220—Per dozen sets (2 rings to set).....	5.85
No. 145—Per dozen sets (2 rings to set).....	4.5

## ANCHOR LIGHTING RINGS



Made of asbestos. Open style. Uniform in size and shape. Easy to insert and remove. Made especially for Anchor Blue Flame Oil Stoves, but will also fit Auto-Feed. Packed two dozen in carton.

No. 11—Dozen lots, per dozen.....	\$ .55
-----------------------------------	--------

## No. 300—PREMIER WICKS



A high grade, tight woven wick in metal carrier, made for use especially in Premier Oil Stoves and will fit Ever-Rite, Star-Leader, Dixie, Globe, Alcazar and many other stoves having long chimney burners. Entire length, 3 3/4 inches. Length perforated tube, 2 3/4 inches. Outside diameter, 3 1/4 inches. Are packed in individual cartons.

No. 300—Less than dozen lots, per dozen.....	\$ 3.52
Dozen lots, per dozen.....	3.37
Three dozen lots, per dozen.....	3.22
Gross lots, per gross.....	36.00

## NESCO OIL HEATER WICKS



Nesco Perfect Wicks with punched metal carriers. Fit all Standard Nesco Perfect Oil Heaters with 3 and 4 quart Nesco fount and many other oil heaters, including 500 series New Perfection. Packed in individual cartons with paste-board center tube. No. 348 intended for 3 and 4 quart Nesco Founts and No. 515 for Giant Heaters.

No. 348—Dozen lots, per dozen.....	\$ 4.27
No. 515—Dozen lots, per dozen.....	9.12



## NESCO OIL HEATER WICKS

Nesco Perfect Wicks without carriers fit any 3 or 4 quart Nesco Founts. Length, 8 inches. Packed one dozen in Bundle.

No. 8—Dozen lots, per dozen.....	\$ 1.99
----------------------------------	---------

## GENUINE PERFECTION WICKS



Made of a special weave of cotton wicking of proper texture for proper capillary of oil to burning surface and even charring for good flame. Drawn metal carriers, held within a tolerance of .010 inch, insuring proper operation in tubes. Perforations mesh properly with ratchet wheel. Burned off evenly to correct sloping edge.

Insure good will of your trade by selling Genuine Perfection Wicks. No. 325 for use only in 300 and 400 series Perfection Room Heaters and No. 500 for use with all Perfection room heaters, except 300 and 400 series.

No. 325—Less than dozen lots, per dozen.....	\$ 5.40
Dozen lots, per dozen.....	5.25
Gross lots, per gross.....	60.00
No. 500—Less than dozen lots, per dozen.....	\$ 4.77
Dozen lots, per dozen.....	4.62
Gross lots, per gross.....	52.80



## KEROGAS PORTABLE OVENS

"Reliable as a Range Oven"



**No. 2332**—Blue Steel Body, Glass Drop Door. Sides Tin Lined; Tin Panel Inside Door. Two Racks. Deflector Attached to Lower Rack. Concealed Door Supports.

Size..... $20\frac{1}{8} \times 12\frac{3}{4} \times 16\frac{7}{8}$  in.  
Shipping Weight.....16 lbs.  
Price.....\$3.07



**No. 2337**—Blue Steel Body, Glass Drop Door with Thermometer Fitted. Sides Tin Lined; Tin Panel Inside Door. Two Racks. Deflector Attached to Lower Rack. Concealed Door Supports.

Size..... $20\frac{1}{8} \times 12\frac{3}{4} \times 16\frac{7}{8}$  in.  
Shipping Weight.....16 lbs.  
Price.....\$3.82



**No. 114T**—For One Burner. Blue Steel Body. Full Steel and Asbestos Lined. Deflector Attached to Lower Rack. Glass Swing Door with Thermometer.

Size.....12x10x11 in.  
Shipping Weight.....7 lbs.  
Price.....\$2.33



**No. 114**—For One Burner Only. Blue Steel Body. Single Walls. Deflector Attached to Lower Rack. Glass Swing Door.

Size.....12x10x11 in.  
Shipping Weight.....6 lbs.  
Price.....\$1.20

**No. 114L**—Same as No. 114 but with side walls steel lined.

Price.....\$1.42

OVENS PACKED ONE IN CARTON



# National Warm Air Furnaces and Room Heaters



Open View—Cycloldal National

We specialize in the manufacture of  
National Warm Air Furnaces and  
School Room Heaters.

A complete line, modern  
and up-to-the-minute  
in every respect.



Excel National Room Heater

Self-cleaning. Economical. Labor and fuel-saving. Perfect in operation. Lowest in operating cost.


Our engineering department will, without cost, gladly assist with your heating problems, either on gravity or forced air systems. Write us freely.



Cutaway  
View  
National Room Heater

**If Interested, Write for Catalogue**





The Home Where  
**National Stoves, Ranges and Furnaces**  
Are Made

•

**EXCELSIOR STOVE & MANUFACTURING CO.**  
QUINCY, ILLINOIS, U. S. A.

•

Paris, Texas

BRANCHES:  
Oklahoma City, Okla.

St. Paul, Minn.



Digitized by



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL  
[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Mike Jackson, FAIA

**EXCELSIOR STOVE & MANUFACTURING CO.**  
QUINCY, ILLINOIS, U. S. A.

•

BRANCHES:

Paris, Texas

Oklahoma City, Okla.

St. Paul, Minn.